

amtico
spacia

Beautifully simple

In stock & ready when you are
0.55 mm wear layer

Spacia

BRITISH
MANUFACTURING
EXPERTISE

Beautifully simple 04
Planks & Tiles 10
Parquet 12
Wood 14
Stone 42
Simple Patterns 56
Stripping 58
Projects 60
Performance 72
Product Availability 74
Accreditations 76

Contents

Beautifully simple

Piazza Caldera - Broken Bond & Dawlish Oak - Stripwood, bespoke curve

Introducing Spacia: a collection that's beautifully simple to work with. Featuring impactful wood and stone designs, Spacia easily blends contemporary appeal with the durability necessary for any commercial space. For LVT flooring that delivers every single time, whether you're aiming for sleek modernity or classic charm, Spacia simply works.

10 YEAR

COMMERCIAL WARRANTY

Spacia

0.55 mm

WEAR LAYER

The wear layer in Spacia ensures excellent impact resistance and high clarity, making it ideal for high-traffic areas that demand both performance and style.

AMTICO ACOUSTIC

Acoustic backing can be specified on standard planks & tiles and laying patterns without stripping.

AMTICO SAFETY

Spacia can be specified with Amtico Safety, offering enhanced slip resistance for any commercial space where safety is paramount.

ANTIMICROBIAL PROTECTION

Spacia's antimicrobial properties provide an extra layer of protection, actively reducing bacteria by more than 99% within 24 hours compared to untreated polyethylene surfaces.*

*See page 72 for more information.

AMTICO BIO

Available to specify with 42% bio-attributed content on all standard planks & tiles.

Bude Oak - Stripwood

140

PARQUET OPTIONS

Any of our Spacia wood products can be laid in any of our Spacia laying patterns, including parquet. This unlocks 140 parquet options: a level of versatility no competitor can match.

BRITISH MANUFACTURING EXPERTISE

Over 60 years of LVT innovation & expertise.

DRYBACK LVT

High-quality glue-down vinyl flooring that's designed for long-lasting durability and style.

Amtico Spacia's wood and stone collections are designed with careful attention to detail, capturing the authentic beauty of natural materials. Each wood plank and stone tile is crafted to harmonise with the next, ensuring a cohesive look with even greater style and simplicity.

ORDER FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.



Fontana Marble Black & Fontana Marble White - Uniform Tile

Birchfield Oak - Stripwood

Spacia helps simplify specification by streamlining how you choose planks and tiles. Every one of our wood designs is available in every plank size, empowering you to use any design in any of our laying patterns, including parquet. Our stone collection follows the same approach, making it even easier to create cohesive, distinctive interiors.

ROOM VISUALISER

Explore our online visualiser to find the perfect floor for your space.

Planks & Tiles

184.2 x 1219.2 mm



101.6 x 914.4 mm



914.4 x 914.4 mm



457.2 x 457.2 mm



304.8 x 457.2 mm

609.6 x 914.4 mm



Timeless and classic, parquet remains a favourite again and again. Our updated Spacia collection is the biggest ever - 140 options across two sizes - small and large.



Small Parquet

Plank size:
76.2 x 228.6 mm





Large Parquet

Plank size:
101.6 x 457.2 mm



For Parquet your way

Cabin Timber - Large Parquet SP254

OAK

Bexley Oak - Large Parquet SP270

Cool

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

Available in Small & Large Parquet

STANDARD FEATURES

Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

White Oak
SS5W2548



White Ash
SS5W2540



Nordic Oak
SS5W2550



Coastal Pine
SS5W3029



Weathered Oak
SS5W2524





Nordic Oak - Stripwood

Chalked Oak - Large Parquet SP239 & single plank border

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

Available in Small & Large Parquet

STANDARD FEATURES

10 YEAR Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Iced Oak
SS5W3310



Chalked Oak
SS5W1350



Credenza Oak
SS5W3035



Sash Oak
SS5W3032



Dusky Walnut
SS5W2542



Salvaged Timber

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

Available in Small & Large Parquet

STANDARD FEATURES

Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Cove Salvaged Timber
SS5W1340



Washed Salvaged Timber
SS5W3322



Urban Salvaged Timber
SS5W3323



ORDER FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.

Cove Salvaged Timber - Stripwood

Neutral

ORDER FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

Available in Small & Large Parquet

STANDARD FEATURES

10 YEAR Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Clifton Oak
SS5W1040



Powdered Oak
SS5W3311



Muted Oak
SS5W3312



Worn Ash
SS5W2539



Dry Cedar
SS5W2535



Tidewood Oak
SS5W1050



Bude Oak
SS5W1110



Lyndhurst Oak
SS5W1070



Featured Oak
SS5W2533



Windsor Oak
SS5W1260



Tidewood Oak - Stripwood

Neutral

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

Available in Small & Large Parquet

STANDARD FEATURES

Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Oyster Oak
SS5W1090



Blanched Oak
SS5W1360



Saunton Oak
SS5W1190



Sun Bleached Oak
SS5W2531



Hampton Oak
SS5W3031





Blanched Oak - Boardwalk

Harrier Oak - Stripwood

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

Available in Small & Large Parquet

STANDARD FEATURES

Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Birchfield Oak
SS5W1100

Dawlish Oak
SS5W1200

Cabin Timber
SS5W1160

Harrier Oak
SS5W1380

Lodge Oak
SS5W1170

Neutral

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES

Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Available in Small & Large Parquet

Amtico Safety

Amtico Acoustic

Amtico Bio

Tailor Oak
SS5W1280



Milliner Oak
SS5W1290



Wilton Oak
SS5W1060



Mulled Oak
SS5W3313



Saddler Oak
SS5W1240



Milliner Oak - Stripwood

Wenlock Oak - Stripwood & Large Parquet SP247

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

Available in Small & Large Parquet

STANDARD FEATURES

Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Langford Oak
SS5W1130

Wenlock Oak
SS5W1080

Noble Oak
SS5W3030

Brewer Oak
SS5W1270

Tanner Oak
SS5W1250



Golden

ROOM VISUALISER

Explore our online visualiser to find the perfect floor for your space.

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

Available in Small & Large Parquet

STANDARD FEATURES

Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Stowe Oak
SS5W1120



Bexley Oak
SS5W1320



Grove Oak
SS5W1220



Tetbury Oak
SS5W1300



Craft Oak
SS5W1210



Hartland Oak
SS5W1180



Westmere Oak
SS5W1330



Carmel Oak
SS5W1150



Alverton Oak
SS5W1310



Guild Oak
SS5W1230





Hartland Oak - Large Parquet SP256

Warm

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

Available in Small & Large Parquet

STANDARD FEATURES

Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Kew Oak
SS5W1390



Pale Ash
SS5W2518



Sherwood Oak
SS5W2532



New England Oak
SS5W2527



Royal Oak
SS5W2530



Kew Oak - Herringbone Plank



Honey Oak - Stripwood

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

Available in Small & Large Parquet

STANDARD FEATURES

Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Eden Oak
SS5W1010

Smoothbark Hickory
SS5W2545

Honey Oak
SS5W2504

Traditional Oak
SS5W2514

Black Walnut
SS5W2534



Stone

Vesper - Uniform Tile & Tailor Oak - Stripwood



Portico Stone - Uniform Tile

Neutral

TILE SIZES

304.8 x 457.2 mm
457.2 x 457.2 mm
609.6 x 914.4 mm
914.4 x 914.4 mm

STANDARD FEATURES

10 YEAR Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Portico Stone SS5S4402



Pampas SS5S2635



Snow SS5S2628

Monument Concrete SS5S3072



Temple Stone SS5S4403



Travertine Grigio SS5S4404



Century Concrete SS5S3069



Ceramic Ecru SS5S3592



Cementa Tate SS5S4405



Warm

TILE SIZES

304.8 x 457.2 mm
457.2 x 457.2 mm
609.6 x 914.4 mm
914.4 x 914.4 mm

STANDARD FEATURES

10 YEAR Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Agora Limestone SS5S6114



Forum Stone SS5S6115



Court Stone SS5S6116



Draycote Stone SS5S6117



Travertine Oro SS5S6119



Dover Stone SS5S6121

Castello Stone SS5S6118



Mantle Stone SS5S6122



Stanton Stone SS5S1593



Travertine Oro - Broken Bond

Cool

TILE SIZES

304.8 x 457.2 mm
457.2 x 457.2 mm
609.6 x 914.4 mm
914.4 x 914.4 mm

STANDARD FEATURES

10 YEAR Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Abbey Stone SS5S4570



Plaza Concrete SS5S3070



Rialto Concrete SS5S2611

Cementa Bilbao SS5S4572



Ceramic Flint SS5S2594



Villa Concrete SS5S2612



Gallery Concrete SS5S3071



Fontana Marble Black SS5S4573



Fontana Marble White SS5S4574



Cementa Bilbao - Uniform Tile

Terrazzo

TILE SIZES

304.8 x 457.2 mm
457.2 x 457.2 mm
609.6 x 914.4 mm
914.4 x 914.4 mm

STANDARD FEATURES

10 YEAR Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Como SS5S2613



Vesper SS5S2616



Garda SS5S2614



Paloma SS5S2615



Amalfi SS5S2609



Gibson SS5S2603



ROOM VISUALISER

Explore our online visualiser to find the perfect floor for your space.

Como - Uniform Tile, Stucco Flax stripping & Lyndhurst Oak - Stripwood

Paloma - Uniform Tile & Concrete Pale stripping

Piazza

TILE SIZES

304.8 x 457.2 mm
457.2 x 457.2 mm
609.6 x 914.4 mm
914.4 x 914.4 mm

STANDARD FEATURES

10 YEAR Commercial Warranty

Antimicrobial Protection

0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

Amtico Safety

Amtico Acoustic

Amtico Bio

Piazza Montara - Uniform Tile

Piazza Montara

SS5S2622



Piazza Caldera

SS5S2623



ORDER FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.

Simple Patterns

Pick any of our standard planks and tiles in one colour* and size to create impact quickly with simple, timeless pattern options.



Deck Block

Stripping required

Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm



Wicket

Stripping optional

Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm



Linear Block

Stripping optional

Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm



Broken Bond

Stripping optional

Tile sizes:
304.8 x 457.2 mm
609.6 x 914.4 mm



Uniform Block

Stripping optional

Tile sizes:
304.8 x 457.2 mm
609.6 x 914.4 mm
101.6 x 914.4 mm
184.2 x 1219.2 mm



Herringbone Tile

Stripping optional

Tile sizes:
304.8 x 457.2 mm
609.6 x 914.4 mm



Herringbone Plank

Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm



Stripwood

Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm



Boardwalk

Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm



Bonded Stone

Stripping optional

Tile sizes:
457.2 x 457.2 mm
914.4 x 914.4 mm



Uniform Tile

Stripping optional

Tile sizes:
457.2 x 457.2 mm
914.4 x 914.4 mm



Checkerboard

Stripping optional

Tile sizes:
457.2 x 457.2 mm

*Except Checkerboard which is two colours.

Stripping

Add contrast & definition or create a grout effect. Choose stripping that complements the tone and materiality of planks and tiles, then combine them together in one of our timeless patterns.



Stria Basalt AR0SMS43



Cementa Tate SS5S4405



Example laid in Uniform Tile with 3.2 mm stripping

Feature stripping is available in the following sizes:*

3.2 x 914.4 mm

6.4 x 914.4 mm

9.5 x 914.4 mm

12.7 x 914.4 mm

19.1 x 914.4 mm

Amtico Safety, Acoustic & Bio product enhancements are not available on stripping.

Dark Walnut AR0W7700

Woolwich Concrete AR0SRE31

Cirrus Air AR0W8100

Stucco Putty AR0AUC30

Stria Volcanic AR0SMS42

Deptford Concrete AR0SRE29

Polished Silver** AR0APL32

Pure Plain Black AR0APN22

Ashdown Oak AR0W8680

Wild Walnut AR0W7620

Mirabelle Creme AR0SMB14

Stria Basalt AR0SMS43

Concrete Pale AR0SCN30

Modernist Frame AR0AMN30

Polished Copper** AR0APL45

Polished Gold** AR0APL78

*Sizes shown are not actual size
**Straight Grain only

Cementa Tate - Uniform Tile & Stria Basalt stripping

ects

Projects

White Oak - Herringbone Plank

Restaurant Choice

SECTOR

Hospitality & Leisure

LOCATION

Latvia

The White Oak design in a classic Herringbone Plank laying pattern brightens the contemporary interior and gives a Nordic feel to the contemporary restaurant.



SS5W2548
White Oak



Laying pattern
Herringbone Plank





Amtico Business Partner: Anitra
Architect: Barbara Bula



Meadowhill Care Home, Westgate Healthcare

Amtico Spacia Safety in Featured Oak was used over three floors in this care home and provides an extra level of safety for residents and staff.

SECTOR

Care Homes

LOCATION

UK

Amtico Safety



SG5W2533

Featured Oak



Laying pattern

Stripwood



Vilnius District Municipality

The striking design detail of curved Pure Plain Black stripping separates out the calm Rialto Concrete and the exciting Amalfi terrazzo.

SECTOR

Office

LOCATION

Lithuania

SS5S2611
Rialto Concrete



SS5S2609
Amalfi

AR0APN22
Pure Plain Black



Laying pattern
Uniform Tile





Amtico Business Partner: Interjero Linija
Designer: M2J Interior Design Studio
Photographer: Marija Šalaševičiūtė



La Table d’Edouard, ibis Styles Rezé

SECTOR

Hospitality & Leisure

LOCATION

France

This elegant restaurant seamlessly blends style and functionality, with defined yet integrated zones that enhance both guest experience and operational efficiency.



SS5S2635
Pampas



SS5W2527
New England Oak



AR0APL78
Polished Gold



Laying pattern
Uniform Tile



Laying pattern
Herringbone Plank

Designer: D+B INTERIOR DESIGN
Photographer: Samuel Ferdjioui



Quintain Living Luna

Luna from Quintain Living provides residents with a contemporary and ultra-modern home in London. Dusky Walnut was specified in the apartments creating a beautifully elegant finish.

SECTOR

Build-to-rent

LOCATION

UK



SS5W2542
Dusky Walnut



Laying pattern
Herringbone Plank





Performance

Flooring fit for the future.

Specify Amtico Bio
Amtico Bio is our first bio-attributed LVT flooring. It is made with bio-attributed PVC, which replaces fossil fuel feedstocks with more sustainable renewable biomass alternatives. Specifying Amtico Bio reduces the embodied carbon of Amtico LVT by between 20 to 28%,* whilst still offering the same performance and finish.

We use carefully selected and audited sources of biomass to create the renewable ethylene that goes into our bio-attributed PVC. This includes by-products such as Crude Tall Oil (CTO) from trees and Used Cooking Oil (UCO).

Spacia is available to specify with 42% bio-attributed content on all standard planks and tiles.

What silence looks like.

Specify Amtico Acoustic
Amtico Acoustic enhances the acoustic properties of LVT by reducing impact sound transmission by up to 18dB and also provides an extra level of comfort underfoot.

Amtico Acoustic brings another layer of performance and versatility to the design, quality and durability you expect from Amtico.

Added protection against bacteria and viruses.

Benefit from Antimicrobial Protection
We add an antimicrobial ionic silver additive to our Quantum Guard Elite PU lacquer that provides a hygienic surface where bacteria and viruses will struggle to multiply or survive.

Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces.

This has been independently tested to ISO 22196 and shown to reduce harmful bacteria, including MRSA and E. coli, by over 99.9%** within 24 hours compared to untreated polyethylene surfaces.

All our antimicrobial flooring achieves the same levels of high performance against sunlight, scuffs and stains and heavy traffic that you expect from any Amtico floor.

For safety beyond the surface.

Specify Amtico Safety
Most safety floors only have one additional safety layer. Amtico Safety flooring has several layers of safety, design and antimicrobial features.

All of our floors meet the BS EN 13845 Enhanced Slip Standard, taking our commitment to safety, hygiene and design far beyond surface level.

*Varies by range, see the Amtico Bio brochure for more details.
**ISO 22196 testing demonstrated ≥99.9% reduction of MRSA and E. coli on Quantum Guard Elite PU lacquer within 24 hours compared to untreated polyethylene film. ISO 21702:2019 testing demonstrated an 85.5% reduction of SARS-CoV-2 within 24 hours compared to inert glass. Applies only to Quantum Guard Elite PU lacquer. Contact your Amtico representative for details on Amtico options with the same antimicrobial protection.

Grove Oak - Stripwood

Wood

Product Name	Product Code	Surface Texture	Straight Grain: 101.6 x 914.4 mm (4 x 36")	Straight Grain: 184.2 x 1219.2 mm (725 x 48")	Laying Patterns: Small Parquet (Tick Finish) 76.2 x 228.6 mm (3 x 9")	Laying Patterns: Small Parquet (Barnwood Finish) 76.2 x 228.6 mm (3 x 9")	Laying Patterns: Large Parquet (Tick Finish) 101.6 x 457.2 mm (4 x 18")	Laying Patterns: Large Parquet (Barnwood Finish) 101.6 x 457.2 mm (4 x 18")
Alverton Oak	SS5W1310	Tick	•	•	SP224		SP269	
Bexley Oak	SS5W1320	Tick	•	•	SP225		SP270	
Birchfield Oak	SS5W1100	Tick	•	•	SP204		SP249	
Black Walnut	SS5W2534	Tick	•	•	SP122		SP160	
Blanched Oak	SS5W1360	Tick	•	•	SP195		SP240	
Brewer Oak	SS5W1270	Barnwood	•	•		SP220		SP265
Bude Oak	SS5W1110	Tick	•	•	SP205		SP250	
Cabin Timber	SS5W1160	Barnwood	•	•		SP209		SP254
Carmel Oak	SS5W1150	Tick	•	•	SP208		SP253	
Chalked Oak	SS5W1350	Tick	•	•	SP194		SP239	
Clifton Oak	SS5W1040	Tick	•	•	SP198		SP243	
Coastal Pine	SS5W3029	Barnwood	•	•		SP127		SP165
Cove Salvaged Timber	SS5W1340	Barnwood	•	•		SP193		SP238
Craft Oak	SS5W1210	Tick	•	•	SP214		SP259	
Credenza Oak	SS5W3035	Barnwood	•	•		SP177		SP272
Dawlish Oak	SS5W1200	Tick	•	•	SP213		SP258	
Dry Cedar	SS5W2535	Barnwood	•	•		SP178		SP273
Dusky Walnut	SS5W2542	Tick	•	•	SP179		SP274	
Eden Oak	SS5W1010	Tick	•	•	SP180		SP227	
Featured Oak	SS5W2533	Tick / Barnwood	•	•	SP132	SP133	SP170	SP171
Grove Oak	SS5W1220	Tick	•	•	SP215		SP260	
Guild Oak	SS5W1230	Tick	•	•	SP216		SP261	
Hampton Oak	SS5W3031	Tick	•	•	SP181		SP228	
Harrier Oak	SS5W1380	Tick	•	•	SP196		SP241	
Hartland Oak	SS5W1180	Tick	•	•	SP211		SP256	
Honey Oak	SS5W2504	Tick / Barnwood	•	•	SP128	SP129	SP166	SP167
Iced Oak	SS5W3310	Tick	•	•	SP104		SP140	
Kew Oak	SS5W1390	Tick	•	•	SP197		SP242	
Langford Oak	SS5W1130	Tick	•	•	SP207		SP252	
Lodge Oak	SS5W1170	Barnwood	•	•		SP210		SP255
Lyndhurst Oak	SS5W1070	Tick	•	•	SP201		SP246	
Milliner Oak	SS5W1290	Tick	•	•	SP222		SP267	
Mulled Oak	SS5W3313	Tick	•	•	SP101		SP137	
Muted Oak	SS5W3312	Tick	•	•	SP102		SP138	
New England Oak	SS5W2527	Tick / Barnwood	•	•	SP182	SP183	SP229	SP230
Noble Oak	SS5W3030	Tick	•	•	SP121		SP159	
Nordic Oak	SS5W2550	Tick / Barnwood	•	•	SP124	SP125	SP162	SP163
Oyster Oak	SS5W1090	Tick	•	•	SP203		SP248	
Pale Ash	SS5W2518	Tick	•	•	SP120		SP158	
Powdered Oak	SS5W3311	Tick	•	•	SP103		SP139	
Royal Oak	SS5W2530	Tick / Barnwood	•	•	SP134	SP135	SP172	SP173
Saddler Oak	SS5W1240	Tick	•	•	SP217		SP262	
Sash Oak	SS5W3032	Tick	•	•	SP184		SP231	
Saunton Oak	SS5W1190	Tick	•	•	SP212		SP257	
Sherwood Oak	SS5W2532	Tick / Barnwood	•	•	SP185	SP186	SP232	SP233
Smoothbark Hickory	SS5W2545	Tick	•	•	SP187		SP234	
Stowe Oak	SS5W1120	Tick	•	•	SP206		SP251	
Sun Bleached Oak	SS5W2531	Barnwood	•	•		SP126		SP164
Tailor Oak	SS5W1280	Tick	•	•	SP221		SP266	
Tanner Oak	SS5W1250	Tick	•	•	SP218		SP263	
Tetbury Oak	SS5W1300	Tick	•	•	SP223		SP268	
Tidewood Oak	SS5W1050	Tick	•	•	SP199		SP244	
Traditional Oak	SS5W2514	Tick / Barnwood	•	•	SP130	SP131	SP168	SP169
Urban Salvaged Timber	SS5W3323	Barnwood	•	•		SP188		SP142
Washed Salvaged Timber	SS5W3322	Barnwood	•	•		SP189		SP141
Weathered Oak	SS5W2524	Barnwood	•	•		SP190		SP235
Wenlock Oak	SS5W1080	Tick	•	•	SP202		SP247	
Westmere Oak	SS5W1330	Tick	•	•	SP226		SP271	
White Ash	SS5W2540	Barnwood	•	•		SP123		SP161
White Oak	SS5W2548	Tick	•	•	SP191		SP236	
Wilton Oak	SS5W1060	Tick	•	•	SP200		SP245	
Windsor Oak	SS5W1260	Tick	•	•	SP219		SP264	
Worn Ash	SS5W2539	Barnwood	•	•		SP192		SP237

Products are Quantum Guard Elite coated unless stated otherwise, and bevelled as standard. Please note all sizes and availability are correct at the time of publication.

Stone

Product Name	Product Code	Surface Texture	Straight Grain: 304.8 x 457.2 mm (12 x 18")	Straight Grain: 457.2 x 457.2 mm (18 x 18")	Straight Grain: 609.6 x 914.4 mm (24 x 36")	Straight Grain: 914.4 x 914.4 mm (36 x 36")
Abbey Stone	SS5S4570	Ceramic	•	•	•	•
Agora Limestone	SS5S6114	Ceramic	•	•	•	•
Amalfi	SS5S2609	Ceramic	•	•	•	•
Castello Stone	SS5S6118	Ceramic	•	•	•	•
Cementa Bilbao	SS5S4572	Ceramic	•	•	•	•
Cementa Tate	SS5S4405	Ceramic	•	•	•	•
Century Concrete	SS5S3069	Ceramic	•	•	•	•
Ceramic Ecru	SS5S3592	Ceramic	•	•	•	•
Ceramic Flint	SS5S2594	Ceramic	•	•	•	•
Como	SS5S2613	Ceramic	•	•	•	•
Court Stone	SS5S6116	Ceramic	•	•	•	•
Dover Stone	SS5S6121	Ceramic	•	•	•	•
Draycote Stone	SS5S6117	Ceramic	•	•	•	•
Fontana Marble Black	SS5S4573	Ceramic	•	•	•	•
Fontana Marble White	SS5S4574	Ceramic	•	•	•	•
Forum Stone	SS5S6115	Ceramic	•	•	•	•
Gallery Concrete	SS5S3071	Ceramic	•	•	•	•
Garda	SS5S2614	Ceramic	•	•	•	•
Gibson	SS5S2603	Ceramic	•	•	•	•
Mantle Stone	SS5S6122	Ceramic	•	•	•	•
Monument Concrete	SS5S3072	Ceramic	•	•	•	•
Paloma	SS5S2615	Ceramic	•	•	•	•
Pampas	SS5S2635	Ceramic	•	•	•	•
Piazza Caldera	SS5S2623	Ceramic	•	•	•	•
Piazza Montara	SS5S2622	Ceramic	•	•	•	•
Plaza Concrete	SS5S3070	Ceramic	•	•	•	•
Portico Stone	SS5S4402	Ceramic	•	•	•	•
Rialto Concrete	SS5S2611	Ceramic	•	•	•	•
Snow	SS5S2628	Ceramic	•	•	•	•
Stanton Stone	SS5S1593	Ceramic	•	•	•	•
Temple Stone	SS5S4403	Ceramic	•	•	•	•
Travertine Grigio	SS5S4404	Ceramic	•	•	•	•
Travertine Oro	SS5S6119	Ceramic	•	•	•	•
Vesper	SS5S2616	Ceramic	•	•	•	•
Villa Concrete	SS5S2612	Ceramic	•	•	•	•

Products are Quantum Guard Elite coated unless stated otherwise, and bevelled as standard. Please note all sizes and availability are correct at the time of publication.

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.

TECHNICAL INFORMATION

View all the technical, installation and maintenance details.

The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).

In the UK, Amtico has partnered with the Dementia Service Development Centre (DSDC) to review and accredit our flooring collections to help people with (or caring for those with) dementia to live well.

Amtico Spacia complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.

Amtico Spacia has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.

Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.

Our quality system complies with BS EN ISO 9001 and is certified by LRQA.

Amtico Spacia products are third-party certified for low-VOC emissions contributing towards good indoor air quality.

Amtico products are manufactured within ISO14001 compliant facilities.

ORTHO-PHTHALATE FREE

Amtico Spacia products are manufactured using ortho-phthalate free plasticisers.

Amtico International are proud to be affiliated with the Valobat Eco Organisation, whose objective is to collect and organise the end of life cycle of Amtico products in France.

Amtico International GmbH is a member of the DGNB German Sustainable Building Council.

Revêtements de sol résilients 326-002.1
http://evalution.cstb.fr

Amtico Spacia products have been UPEC classified, therefore complying with the UPEC classification.

Visit amtico.com for more information on our product range, inspiring ideas and maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure; however, printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All products are manufactured in line with EN ISO 10582. Brochure correct at the time of publication.

amtico
flooring

Amtico UK & European Sales
Solar Park Southside
Solihull, West Midlands
B90 4SH, UK
+44 (0) 121 745 0800
samples@amtico.com

Amtico Head Office
Kingfield Road
Coventry
CV6 5AA, UK
+44 (0) 24 7686 1400
samples@amtico.com

Amtico International Germany
Grand Bateau
Hammer Straße 17
40219 Düsseldorf
Germany
+49 (0) 211 361 155 0
info@amtico.de

Amtico International France
36 Avenue Hoche
75008 Paris
France
+33 (0) 1 55 38 95 70
info@amtico.fr

Amtico International Scandinavia
S:t Olofsgatan 11A
753 21 Uppsala
Sweden
+46 (0) 8 584 233 24
info@amtico.se

Amtico International Sucursal En España
Calle Boix Y Morer 6, 2 Derecha
28003 Madrid, Spain
+34 (0) 91 335 24 94
info@amtico.es

Amtico International Asia
Room 905
9/F., OfficePlus @ Wan Chai
303 Hennessy Road, Hong Kong
+852 2327 7703
samples@amtico.com

Amtico International Middle East, Africa & India
8th Floor
Building Number 2
J&G DMCC, Dubai, UAE
+971 (0) 50 192 33 46
samples@amtico.com

Amtico International Pty Ltd Australia & New Zealand
Unit 1, 40 Mill Street
Yarrabilba 4207
Australia
australia.customerservice@amtico.com