AFFORDABLE TILES



2021

SANIPEXUK

CONTENTS

1 Cement





Marble 5

Stone 7



Wood 16





Terrazzo 24

Pure & Natural 25



29 Solid Colour



TRANSFORM YOUR SPACE

From bathrooms, kitchens and living areas to entrance halls, patios and pools, adding carefully selected tiles to both indoor and outdoor spaces can elevate your home from being merely ordinary to simply extraordinary.

Created for price-conscious individuals who are not prepared to compromise on style or quality, the Affordable Tile Collection allows you to create beautiful interior and outdoor spaces without blowing the budget.

Sourced from leading European suppliers, our collection is curated in line with global design trends and created to work with different design aesthetics. With numerous options to choose from in a variety of stunning materials and finishes, from cement, marble and stone to wood, terrazzo and ceramic, and in different shapes and sizes, you can be guaranteed to find the perfect complement to your individual sense of style.

Be inspired by on-trend room sets, design-led mood boards and our well-stocked tile galleries at the SANIPEX A&D GALLERY located in the heart of Chelsea or visit www.sanipexgroup.com.



Anversa
Grigio Chiaro Matt
60 x 60 x 0.85 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V2

DCL-G9AV01-GRCH



Anversa
Grigio Chiaro Matt
30 x 60 x 0.85 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V2

DCL-G8AV01-GRCH



Anversa
Tortora Matt
60 x 60 x 0.85 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V2

DCL-G9AV09-TO



Anversa
Tortora Matt
30 x 60 x 0.85 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V2

DCL-G8AV09-TO



| Tortora Matt

NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information

Timeline
60 x 60 x 0.85 cm
Rectified

Bianco Matt
Slip Resistance: R10
Shade Variance: V1

DCL-G9TL10R-BI

Bianco Grip
Slip Resistance: R12
Shade Variance: V1

DCL-G9TL10GRI-BI

Timeline
Bianco Matt
30 x 60 x 0.85 cm
Rectified
Slip Resistance: R10
Shade Variance: V1

DCL-G8TL10R-BI

Timeline
Beige Matt
60 x 60 x 0.85 cm
Rectified
Slip Resistance: R10
Shade Variance: V1

DCL-G9TL11R-BG

Timeline
Beige Matt
30 x 60 x 0.85 cm
Rectified
Slip Resistance: R10
Shade Variance: V1

DCL-G8TL11R-BG



| Beige Matt

NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Timeline
60 x 60 x 0.85 cm
Rectified

Grey Matt
Slip Resistance: R10
Shade Variance: V1

DCL-G9TL05R-GR

Grey Grip
Slip Resistance: R12
Shade Variance: V1

DCL-G9TL05GRI-GR



Timeline
Taupe Matt
60 x 60 x 0.85 cm
Rectified
Slip Resistance: R10
Shade Variance: V1

DCL-G9TL09R-TA



Timeline
Grey Matt
30 x 60 x 0.85 cm
Rectified
Slip Resistance: R10
Shade Variance: V1

DCL-G8TL05R-GR



Timeline
Taupe Matt
30 x 60 x 0.85 cm
Rectified
Slip Resistance: R10
Shade Variance: V1

DCL-G8TL09R-TA



| Taupe Matt

NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Upgrade
Bianco Natural
30 x 30 x 0.85 cm
Non-Rectified 3-5 mm
Slip Resistance: R10
Shade Variance: V3

DCL-G3UP10-BI



Upgrade
Anthracite Natural
30 x 30 x 0.85 cm
Non-Rectified 3-5 mm
Slip Resistance: R10
Shade Variance: V3

DCL-G3UP15-AN



Upgrade
Grey Natural
30 x 30 x 0.85 cm
Mix
Non-Rectified 3-5 mm
Slip Resistance: R10
Shade Variance: V3
DCL-G3UPGRAY-GR



| Grey Natural

NOTE: All Mentioned Tiles are Glazed Porcelain

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information



Massa
Matt
79.8 x 79.8 x 1 cm
Rectified
Shade Variance: V2

BDT-1182079807981001



Massa Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Pietrasanta
Matt
59.8 x 59.8 x 1 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

BDT-1181059805981007



Pietrasanta Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Nordstone
Beige Matt
60 x 120 x 1 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-N120NSBE



Nordstone
Bianco Matt
60 x 120 x 1 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-N120NSBI



Nordstone
Grigio Matt
60 x 120 x 1 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-N120NSGR



| Bianco Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information



R-evolution
Grigio Matt
80 x 80 x 1 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

CEU-80REVGR



R-evolution
Bianco Matt
80 x 80 x 1 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

CEU-80REVBI



R-evolution
Dark Matt
80 x 80 x 1 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

CEU-80REVDA



| Dark Matt

NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Climb
Bianco Matt
60 x 60 x 1 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4

DCL-G9CL10-BI



Climb
Noce Matt
60 x 60 x 1 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4

DCL-G9CL09-NO



Climb
Grey Matt
60 x 60 x 1 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4

DCL-G9CL05-GR



Climb
Bianco Matt
30 x 60 x 1 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4

DCL-G8CL10-BI



Climb
30 x 60 x 1 cm
Non-Rectified

Noce Matt
Slip Resistance: R10
Shade Variance: V4

DCL-G8CL-05GR

Noce Grip
Slip Resistance: R12
Shade Variance: V4

DCL-G8CL09GRI-NO



Climb
30 x 60 x 1 cm
Non-Rectified

Grey Matt
Slip Resistance: R10
Shade Variance: V4

DCL-G8CL-05GR

Grey Grip
Slip Resistance: R12
Shade Variance: V4

DCL-G8CL05GRI-GR



| Bianco Matt

NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information



Wals
Dark Matt
60 x 120 x 1 cm
Rectified 2 mm
Slip Resistance: R9
Shade Variance: V2

CEU-120WALDA



NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information

Gardena
Bianco Matt
60 x 60 x 0.85 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

DCL-G9GR10R-BI

Gardena
Bianco Matt
30 x 60 x 0.85 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

DCL-G8GR10R-BI



NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Gardena
Beige Matt
60 x 60 x 0.85 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

DCL-G9GR01R-BG



Gardena
Beige Matt
30 x 60 x 0.85 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

DCL-G8GR01R-BG



Gardena
Nero Matt
60 x 60 x 0.85 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

DCL-G9GR08R-NE



Gardena
Nero Matt
30 x 60 x 0.85 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

DCL-G8GR08R-NE



| Nero Matt

NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Grand Cave
White Matt
80 x 80 x 1 cm
Rectified
Slip Resistance: R10
Shade Variance: V3

BDT-2180798079810 28



Grand Cave
Grey Matt
80 x 80 x 1 cm
Rectified
Slip Resistance: R10
Shade Variance: V3

BDT-2180798079810 31



| Grey Matt | White Matt

NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information



Ecostone
Sabbia Matt
60 x 60 x 0.95 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-60ECOSA



Ecostone
Grigio Matt
60 x 60 x 0.95 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-60ECOGR



Ecostone
Grigio Matt
60 x 120 x 1 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-120ECOGR



Ecostone
Sabbia Matt
30 x 60 x 0.95 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-30ECOSA



Ecostone
30 x 60 x 0.95 cm
Rectified

Grigio Matt
Slip Resistance: R10
Shade Variance: V2

CEU-30ECOGR

Grigio Grip
Slip Resistance: R11
Shade Variance: V2

CEU-30ECOGRG



| Grigio Matt

NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Ecostone
Tortora Matt
60 x 60 x 0.95 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-60ECOTO



Ecostone
Bianco Matt
60 x 60 x 0.95 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-60ECOBI



Ecostone
Bianco Matt
60 x 120 x 1 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-120ECOBI



Ecostone
Tortora Matt
30 x 60 x 0.95 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-30ECOTO



Ecostone
Bianco Matt
30 x 60 x 0.95 cm
Rectified
Slip Resistance: R10
Shade Variance: V2

CEU-30ECOBI



| Bianco Matt

NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Foreste D'italia
Beige Matt
20 x 120 x 0.85 cm
Rectified
Slip Resistance: R9
Shade Variance: V3

DCL-21FI01R85BG



Beige Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Essenzia
Miele Matt
20 x 120 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

CEU-NESSENMI



Essenzia
Tabacco Matt
20 x 120 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

CEU-NESSENTA



Essenzia
Noce Matt
20 x 120 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

CEU-NESSENNO



| Miele Matt



| Noce Matt



| Tabacco Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Burma
Mogano Matt
20 x 120 x 0.85 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

DCL-21BU06R-MG



NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Dublin
Almond Matt
20 x 120 x 0.95 cm
Rectified
Slip Resistance: R10
Shade Variance: V3

SGR-PRP2653188G1



Dublin
Brown Matt
20 x 120 x 0.95 cm
Rectified
Slip Resistance: R10
Shade Variance: V3

SGR-PRP2658188G1



| Brown Matt | Almond Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information



Monteverde
Grey Matt
20 x 80 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

DCL-27MN05-GR



Monteverde
Grey Matt
16.5 x 100 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

DCL-16MN05-GR



| Grey Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Monteverde
Bianco Matt
20 x 80 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

DCL-27MN10-BI



Monteverde
Bianco Matt
16.5 x 100 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

DCL-16MN10-BI



| Bianco Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use

Wall & Floor Use

See Page 30 for technical information



Monteverde
Beige Matt
20 x 80 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

DCL-27MN01-BG



Monteverde
Beige Matt
16.5 x 100 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

DCL-16MN01-BG



| Beige Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information



Monteverde
Noce Matt
20 x 80 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

DCL-27MN09-NOCE



Monteverde
Noce Matt
16.5 x 100 x 1 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V3

DCL-16MN09-NOCE



| Noce Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information



Frammenti
Azzurro Macro Matt
20 x 20 x 0.85 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
DCL-20FR02MA-AZ



Frammenti
Nero Macro Matt
20 x 20 x 0.85 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
DCL-20FR08MA-NE



Frammenti
Bianco Macro Matt
20 x 20 x 0.85 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
DCL-20FR10MA-BI



| Azzurro Macro Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information



Industrio
Grey Matt
80 x 80 x 1 cm
Rectified
Slip Resistance: R10
Shade Variance: V1

BDT-1940798079810O4

Industrio
Ivory Matt
80 x 80 x 1 cm
Rectified
Slip Resistance: R10
Shade Variance: V1

BDT-1940798079810I6



Industrio
Cream Matt
80 x 80 x 1 cm
Rectified
Slip Resistance: R10
Shade Variance: V1

BDT-1940798079810I9



Grey Matt

NOTE: All Mentioned Tiles are Coloured Body Porcelain

NOTE: Outdoor Matt Tiles can Only be in Dry Areas

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information

Nova Arquitectura
White Matt
30 x 30 x 0.7 cm
Non-Rectified
Shade Variance: V1

CIN-5500-30X30-MW

For Wall:
For Floor:

Nova Arquitectura
Atlas Blue Matt
30 x 30 x 0.7 cm
Non-Rectified
Shade Variance: V1

CIN-5514-30X30-ABL

For Wall:
For Floor:

Nova Arquitectura
Lead Grey Matt
30 x 30 x 0.7 cm
Non-Rectified
Shade Variance: V1

CIN-5504-30X30-LGY

For Wall:
For Floor:

Nova Arquitectura
Sea Green Matt
30 x 30 x 0.7 cm
Non-Rectified
Shade Variance: V1

CIN-5523-30X30-SGR

For Wall:
For Floor:



| Sea Green Matt

NOTE: All Mentioned Tiles are Glazed Porcelain

Indoor & Outdoor Use
Indoor Use

See Page 30 for technical information

Pastele
White Matt
20 x 20 x 0.65 cm
Non-Rectified
Shade Variance: V1

BDT-11360200020001088

Pastele
Latte Matt
20 x 20 x 0.65 cm
Non-Rectified
Shade Variance: V1

BDT-11360200020001124

Mono
Grey Matt
20 x 20 x 1 cm
Non-Rectified
Slip Resistance: R12
Shade Variance: V1

BDT-11360200020001221

For Wall:

For Floor:

Pastele
White Gloss
20 x 20 x 0.65 cm
Non-Rectified
Shade Variance: V1

BDT-10020200020001070

Mono
Graphite Matt
20 x 20 x 1 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V1

BDT-11360200020001269

For Wall:

For Floor:



| Grey Matt & Graphite Matt

NOTE: Pastele Tiles are Ceramic, and Mono Tiles are Glazed Porcelain

Indoor & Outdoor Use Indoor Use Wall Use

See Page 30 for technical information

Urban Space
Ivory Grip
60 x 120 x 1 cm
Rectified
Slip Resistance: R11
Shade Variance: V1

BDT-2111198059810 13



Urban Space
Beige Grip
60 x 120 x 1 cm
Rectified
Slip Resistance: R11
Shade Variance: V1

BDT-2111198059810 16



Urban Space
Light Grey Grip
60 x 120 x 1 cm
Rectified
Slip Resistance: R11
Shade Variance: V1

BDT-2111198059810 19



Urban Space
Graphite Grip
60 x 120 x 1 cm
Rectified
Slip Resistance: R11
Shade Variance: V1

BDT-2111198059810 22



| Light Grey Grip

NOTE: All Mentioned Tiles are Coloured Body Porcelain

Indoor & Outdoor Use Wall & Floor Use

See Page 30 for technical information

Colour
White
29.8 x 74.8 x 1 cm
Rectified
Shade Variance: V1

BDT-1217029807481001

Colour
Pink
29.8 x 74.8 x 1 cm
Rectified
Shade Variance: V1

BDT-1217029807481010



| Pink

NOTE: All Mentioned Tiles are Ceramic

Indoor Use Wall Use

See Page 30 for technical information

Advice on laying, grouting and maintenance

IMPORTANT NOTE: TILES SHOULD BE LAID AND GROUTED ONLY BY PROFESSIONAL TILE LAYERS.

Tiling

Follow the simple rules below to guarantee perfect tiling results:

1) Check the floor slab is flat where the tiles are to be fitted.

2) Ensure that the tiles are correct as per it's intended use before laying.

3) Dry lay the tiles, ensure intended lay-out will be achieved, mix if necessary by taking them from several boxes to achieve best results, before actual installation.

4) Use the correct adhesive and application tools, apply as per it's manufacturer's recommendation.

5) For installing wall tiles, it is highly recommended to use class C2 adhesives, in compliance with the European standard EN 12004. Specifically, recommended is a white glue for nonslip ceramic covering materials.

6) For top-class results, add an elasticator, taking care to follow the manufacturer's instructions to the letter, and apply an even layer of glue on the underside of the tile. The thickness of the glue can be adjusted using the toothed side of the trowel.

7) Do not leave air pocket between substrate and the tiles.

8) Follow recommended joint for tiles.

9) Handle the tiles with care before and during tiling.

Grouting

Use matching grouts – follow recommended joint space. The tiler should strictly follow the grout manufacturer's instructions on application and cleaning.

Cleaning

Use cleaning tools that are perfectly clean themselves. Always rinse off surfaces. Use clean water alone if the surface is washed frequently.

Recommended Joints:

Outdoor	5-6 mm approx,
Rectified (Indoor)	Minimum 2 mm
Non-Rectified (Indoor)	3-4 mm approx.
Haxagon or similar shapes	3-5 mm approx.
Modular pattern(mix of sizes)	3-5 mm approx.



For tiles more than 30cm width, with a lengthwise tiling layout, maximum 1/3 offset between panels.

For more information please contact our sales team.

Dimensions Tolerance					
Porcelain -Technical Specifications			Standards	Values Required Non-Rectified	Rectified
Sizes Dimensions		Length and Width	ISO 10545-2	±0,6% ,max 2mm	±0,3%, max 1mm
		Thickness		±5%, max 0,5mm	±5%, max 0,5mm
		Wedging		±0,5%, max 2mm	±0,3%, max 1,5mm
		Straightness of the edges		±0,5%, max1,5mm	±0,3%, max 0,8mm
		Flatness		±0,5%, max 2mm	±0,4%, max 1,8mm

Tile Application


Indoor Use


Outdoor Use


Indoor & Outdoor Use


Floor Use


Wall Use


Wall & Floor Use



CERAMIC SPECIFICATIONS

- INDOOR
-WALL
-WATER ABSORPTION 5-10%
-SOFTER & EASIER TO CUT



PORCELAIN SPECIFICATIONS

- INDOOR & OUTDOOR
-WALL & FLOOR
-WATER ABSORPTION 0.1-0.5%
-STRONG AND IMPERVIOUS

V SHADE

Nuances / Shade & Aspect Variation of tiles in the same collection



V1 - Minimal Variation



V2 - Moderate Variation



V3 - High Variation



V4 - Random Variation

NOTE: FOR TECHNICAL DETAILS OF YOUR SELECTED TILES PLEASE CONTACT OUR SALES TEAM



What is R (non slip) rating?

INTERNATIONAL STANDARD OF RAMP TESTING ON RESISTANCE TO SLIPPING OF TILES WHEN EXPOSED TO DIFFERENT LEVEL OF MOISTURE

Matt R9 - R10
Grip R11-R12

R9 — 6° / 10°
Residential dry floors

R10 — 10° / 19°
Bathrooms, Balconies, Kitchens & Dining Restaurants

R11 — 19° / 27°
Wet outdoor floors & swiming pool decks

R12 — 27° / 35°
Ramps & drive ways

TERMINOLOGY



Rectified
Tiles with straight edges, allows tiling arrangements with very narrow joints.



Calibre
It's the facial dimension (size) and is measured with a tool called a caliper. Using different caliber sizes results in a variation in grout joint widths.



Water Absorption
Measurement of how much moisture a tile is likely to absorb on on-going basis.



Stain Resistance
Method applicable to all working surfaces of tiles to determine their resistance to stains after 24 hours of applying a staining agent.

















OUR SHOWROOMS

SANIPEX A & D GALLERY
648 Kings Road, Chelsea, UK
+44 2075536999
info@sanipexgroup.co.uk

SPX-AFF-2021A4-B-GY

www.sanipexgroup.com