The Signature Specification Guide

Amtico Signature Collection

Premium LVT flooring

UK made to order

1.0 mm wear layer

Create

Contents



Authentic to the last detail	4
Signature Planks & Tiles	**6**
Wood	8
Stone	22
Colour & Abstract	34
Laying Patterns	**44**
Chevron	46
Gable Parquet	48
Versailles Parquet	50
Large Parquet	52
Small Parquet	54
Chantilly Weave	56
Halcyon Pleat	58
Basket Weave	60
French Weave	62
Castel Weave	64
Pleat	66
Random Plank	68
Gatsby Square	70
Large Flagstone	72
Extra Large & Grand Flagstone	74
Random Stone	76
Key Stone Small	78
Key Stone Mini	80
Check	82
Frame	84
Polygon Key Mini	86
Lune	88
Arc	90
Simple Patterns	92
Projects	**94**
Bespoke	**98**
Stripping	102
Borders, Corners & Motifs	104
Making flooring fit for the future	**106**
Enhanced Protection	**110**
Technical Information	**112**

Authentic to the last detail

20YR COMMERCIAL WARRANTY

ANTIMICROBIAL

18dB

Acoustic backing can be specified on all standard planks and tiles, Large & Small Parquet without stripping and all Herringbone sizes.

36+

36+ can be specified on all standard planks & tiles, Large & Small Parquet without stripping and all Herringbone sizes.

AMTICO BIO

Available to specify with 61% bio-attributed content on all standard planks and tiles.*

* Signature 36+ has 61% bio-attributed content, Signature Acoustic has 59% bio-attributed content.

Realise stunning spaces with Amtico Signature.

An extraordinary collection of premium flooring, crafted and hand-finished down to the smallest details. For stunning flooring, designed to create beautifully considered spaces.

18 | Unique Palettes

22 | Signature Laying Patterns

Signature Planks & Tiles

Choose any of our Signature planks and tiles in a single colour and size to create a floor with simple elegance. Or design your own combinations of colours and sizes to make something that will deliver real impact.





Cool One | Wood

18dB 36+ AMTICO BIO



Solar Pine
AR0W8240



Halo Pine
AR0W8250



Henley Oak
AR0W8740



Friston Oak
AR0W8750



Pearl Wash Wood
AR0W8220



Shore Oak
AR0W8180



Alpine Oak
AR0W8330



Nomad Oak
AR0W8140



Lock Oak
AR0W8360



Tollymore Oak
AR0W8760



Tollymore Oak
AR0W8760



Stripwood & Gable Parquet Large DC537

Cool Two | Wood



Chiltern Oak
AR0W8630



Laughton Oak
AR0W8810



Marlow Oak
AR0W8690



Hamsterley Oak
AR0W8770



Wharf Oak
AR0W8190



White Wash Wood
AR0W7680



Malvern Oak
AR0W8670



Wilverley Oak
AR0W8870



Verbier Oak
AR0W8320



Harbour Pine
AR0W7990

18dB 36+ AMTICO BIO



Laughton Oak
AR0W8810

Stripwood & Small Parquet EP113 Feature



Malvern Oak
AR0W8670



Stripwood

Neutral One | Wood



Wharncliffe Oak
AR0W8640



Toulouse Oak
AR0W8430



Dockland Oak
AR0W8350



Chateau Oak
AR0W7980



Sanctuary Grain
AR0W8270



Ashdown Oak
AR0W8680




Parisian Pine
AR0W7860



Versailles Oak
AR0W8460



Reclaimed Oak
AR0W7870



Aspen Oak
AR0W8310

18dB 36+ AMTICO BIO



Ashdown Oak
AR0W8680

Stripwood & Plank Border



Dockland Oak
AR0W8350



Stripwood

Neutral Two | Wood

18dB 36+ AMTICO BIO



Lime Washed Wood
AR0W7660



Salted Oak
AR0W8210



Trevellas Oak
AR0W8890



Kirby Oak
AR0W8780



Darley Oak
AR0W8710



Union Oak
AR0W8370



Clowes Oak
AR0W8650



Buckingham Oak
AR0W8880



Grizedale Oak
AR0W8830



Berwick Oak
AR0W8850



Hackfall Oak
AR0W8790



Fumed Oak
AR0W7900



Clowes Oak
AR0W8650



Chevron DC501 & Stripwood

Mid-Tone One | Wood

18dB 36+ AMTICO BIO



Rotterdam Oak
AR0W8440



Aged Oak
AR0W7710



Brushed Oak
AR0W7910



Bordeaux Oak
AR0W8450



Chargot Oak
AR0W8720



Tay Oak
AR0W8900



Farmhouse Oak
AR0W7630



Dry Teak
AR0W7810



Manor Oak
AR0W7970



Classic Walnut
AR0W7610




Wild Walnut
AR0W7620



Regency Walnut
AR0W8200



Bordeaux Oak
AR0W8450



Stripwood

Mid-Tone Two | Wood

18dB 36+ AMTICO BIO


Cornish Oak
AR0W8150


Buxton Oak
AR0W8660


Natural Limed Wood
AR0W7690


Golden Oak
AR0W7510


French Oak
AR0W7830


Yarncliff Oak
AR0W8800


Blonde Oak
AR0W7460


Worn Oak
AR0W7390


White Oak
AR0W7520


Fresh Oak
AR0W7440


York Oak
AR0W8160


Whinlatter Oak
AR0W8730


Buxton Oak
AR0W8660


Stripwood & Chantilly Weave DC538

Warm | Wood

18dB 36+ AMTICO BIO



Classic Oak
AR0W7430



American Oak
AR0W7050



Teak
AR0W6990



Priory Oak
AR0W7200



Dark Walnut
AR0W7700



Fused Birch
AR0W7500



Light Cherry
AR0W7060



Antique Wood
AR0W7190



Merbau
AR0W7590



Rosewood
AR0W7070



Classic Oak
AR0W7430



Stripwood

Neutral One | Stone



Waterloo Concrete
AR0SSC10



Wilmcote Limestone
AR0SLS44



Tyne Concrete
AR0SRE30



Ratley Stone
AR0SMA37



Woolwich Concrete
AR0SRE31



Basilica Salt
AR0SBS12



Kura Kala
AR0SKU31



Sloane Concrete
AR0SSC37



Stria Basalt
AR0SMS43

18dB 36+ AMTICO BIO





Ratley Stone
AR0SMA37



Sloane Concrete
AR0SSC37

Broken Bond Bespoke Curve

Neutral Two | Stone

18dB 36+* AMTICO BIO



Honed Limestone Natural
AR0SLH11



Packwood Stone
AR0SSC12



Mirabelle Creme
AR0SMB14



Crema Marfil
AR0SMF47



Coombe Stone
AR0STE49



Blockley Stone
AR0SMA31



Stria Sediment
AR0SMS14



Ilmington Stone
AR0SSC01



Riverstone Tundra
AR0SRS40

* Except Honed Limestone Natural





Blockley Stone
AR0SMA31

Broken Bond & Polished Gold Feature Stripping

Cool One | Stone



Shottery Limestone
AR0SLK15



Berkswell Stone
AR0SMA32



Basilica Shell
AR0SBS41



Whitley Stone
AR0SMA36



Chatham Concrete
AR0SRE33



Kura Caraway
AR0SKU38



Deptford Concrete
AR0SRE29



Exposed Concrete
AR0SEC30



Stria Rock
AR0SMS33

18dB 36+ AMTICO BIO



Chatham Concrete
AR0SRE33

Grand Flagstone DC582

Cool Two | Stone


18dB 36+ AMTICO BIO



Onyx Marble
AR0SOM30



Worn Concrete
AR0STL39



Cumbrian Slate
AR0SSL32



Stria Ash
AR0SMS13



Kura Anise
AR0SKU39



Kentmere Slate
AR0SSL37



Stria Volcanic
AR0SMS42



Kura Opium
AR0SKU49



Graphite Slate
AR0SSL23





Kentmere Slate
AR0SSL37

Linear Block & Modernist Frame Stripping

Tempus | Stone

18dB 36+ AMTICO BIO



Tempus Soothe
AROSTE31



Tempus Harmony
AROSTE41




Tempus Embrace
AROSTE30




Tempus Restore
AROSTE29



Tempus Pause
AROSTE37



Tempus Echo
AROSTE13





Tempus Restore
AROSTE29

Uniform Tile & Graphite Slate Feature Stripping

Marble | Stone



Nero Classic Marble
AR0SCA20


Bianca Classic Marble
AR0SOM10



Rosa Classic Marble
AR0SCA53



Grigio Classic Marble
AR0SCA37



Verde Classic Marble
AR0SCA87



Tortora Classic Marble
AR0SCA44

18dB 36+ AMTICO BIO



Tortora Classic Marble
AR0SCA44

Broken Bond & Bianca Classic Marble Stripping



Verde Classic Marble
AR0SCA87

Herringbone Tile & Woolwich Concrete Stripping

Metal | Colour & Abstract



Grey Burnished Metal
AR0ARH13



Black Burnished Metal
AR0ARH29



Verdigris Burnished Metal
AR0ARH33



Russet Burnished Metal
AR0ARH44

18dB 36+ AMTICO BIO



Black Burnished Metal AR0ARH29

Uniform Tile



Russet Burnished Metal AR0ARH44

Black Burnished Metal AR0ARH29

Uniform Tile Bespoke

Trace | Colour & Abstract

18dB 36+ AMTICO BIO



Trace Kaolin
AR0W8390



Trace Scree
AR0W8400



Trace Kaolin
AR0W8390



Trace Scree
AR0W8400





Trace Scree
AR0W8400

Stripwood

Modernist | Colour & Abstract

18dB 36+ AMTICO BIO




Modernist Spire
AR0AMN38



Modernist Frame
AR0AMN30



Modernist Vault
AR0AMN13



Modernist Vault
AR0AMN13

Broken Bond

Colour Edit | Colour & Abstract

18dB 36+ AMTICO BIO

Stucco Opaline
AR0AUC88

Stucco Haze
AR0AUC40

Diffusion Lux
AR0ADF38

Diffusion Cashew
AR0ADF41

Stucco Mist
AR0AUC93

Stucco Quartz
AR0AUC15

Diffusion Chambray
AR0ADF39

Stucco Pebble
AR0AUC38

Diffusion Malt
AR0ADF44

Stucco Putty
AR0AUC30

Diffusion Husk
AR0ADF27

Stucco Huckleberry
AR0AUC92

Diffusion Eve
AR0ADF54

Diffusion Aloe
AR0ADF88

Stucco Clay
AR0AUC47

Stucco Nutmeg
AR0AUC89

Stucco Flax
AR0AUC39

Encaustic Storm
AR0AEN98

Encaustic Okra
AR0AEN18

Encaustic Jasper
AR0AEN45

Stucco Roselle
AR0AUC51

Stucco Indigo
AR0AUC91

Diffusion Loam
AR0ADF04

Encaustic Kyanite
AR0AEN83

Stucco Elk
AR0AUC32


Diffusion Malt
AR0ADF44

Diffusion Chambray
AR0ADF39

Diffusion Cashew
AR0ADF41

Stucco Pebble
AR0AUC38

Stucco Clay
AR0AUC47



Bespoke & EP126 Pleat Insert

Spectrum | Colour & Abstract

18dB

AMTICO BIO

Napoli
AR0ACF75

Dublin
AR0ACF83

Glint Orb
AR0AGG11

Sevilla
AR0ACF64

Helsinki
AR0ACF90

Glint Void
AR0AGG22

Rio
AR0ACF56

Marrakech
AR0ACF51

Paris
AR0ACF92



Glint Void
AR0AGG22

Glint Orb
AR0AGG11

Bespoke Pleat

20 YEAR

20YR COMMERCIAL WARRANTY

Create incredible spaces with our laying patterns

Explore our extended range of exclusive laying patterns, crafted to reflect the refined beauty of our Signature products.

Personalise them with your own choice of colours and textures, or select from more than 100 predefined floors in the Designers' Choice Collection.

118 | Designers' Choice Patterns



Chevron

A timeless pattern with a comforting feel. The proportion and angle of Chevron's planks have been carefully considered to create an elegant pattern with a relaxed sense of directionality.

PLANK SIZE: 87.98 x 457.2 mm

1 Product
EP501

Laying Pattern:



DC528

Designers' Choice



DC501
Clowes Oak



DC527
Buxton Oak



DC528
Henley Oak



DC529
Hackfall Oak



Achieve this floor

Hackfall Oak
AR0W8790




DC533, Kura Kola Feature Stripping & Marlow Oak Stripwood

Gable Parquet

This mirrored pattern is bold, beautiful and highly useable. Small-scale pieces are reflected in four-part modules, which when laid together, create a beautiful floor that cleverly maximises tonal variety to give the illusion of depth.


MODULE SIZE: 304.8 x 304.8 mm
1 Product Small
EP503

Laying Pattern:



MODULE SIZE: 457.2 x 457.2 mm
1 Product Large
EP504

Laying Pattern:



Designers' Choice

SMALL:



DC503
Wharncliffe Oak



DC533
Marlow Oak



DC534
Worn Oak



DC535
Rotterdam Oak



DC536
Chargot Oak

LARGE:



DC504
Brushed Oak



DC537
Tollymore Oak



Achieve this floor

Worn Oak
AR0W7390



DC541 & Diffusion Loom Uniform Block


Versailles Parquet

Taking direct inspiration from the famous parquetry flooring in the Palace of Versailles, this framed pattern elevates single-colour woods by showcasing their tonal variation and beautiful grain detailing.

MODULE SIZE: 691.1 x 691.1 mm

1 Product
EP505

Laying Pattern:



Designers' Choice



DC505
Trevellas Oak



DC541
Hackfall Oak



DC542
Clowes Oak



DC543
Friston Oak



Achieve this floor

Clowes Oak
AR0W8650



EP107 Whinlatter Oak, Stripwood Feature Area & Polished Gold Stripping

Large Parquet

Delivering sophistication and performance in equal measure, there's a reason this pattern has endured. Timeless single-colour designs celebrate the varied beauty of woods, while stone and stripping combinations introduce a contemporary edge.


PLANK SIZE: 114.3 x 457.2 mm
1 Product
EP107

Laying Pattern:



PLANK SIZE: 114.3 x 457.2 mm
1 Product with stripping
EP225

Laying Pattern:



Designers' Choice



DC467
Bordeaux Oak



DC520
Berwick Oak



DC521
Buxton Oak



DC522
Golden Oak



DC523
Yarncliff Oak



DC524
Grigio Classic Marble
Modernist Frame (stripping)



DC525
Deptford Concrete
Stucco Putty (stripping)



DC526
Grey Burnished Metal
Polished Copper (stripping)



Achieve this floor

Berwick Oak
AR0W8850



EP113 Laughton Oak Feature Area, Stripwood & Feature Stripping

Small Parquet

Small pieces are laid in this timeless parquetry pattern, perfect for emphasising tonal variation and creating fantastic movement across a floor.


PLANK SIZE: 76.2 x 228.6 mm

1 Product
EP113

2 Products
EP110

3 Products
EP112

Laying Pattern:



Designers' Choice



DC337
Aged Oak



DC515
Wharncliffe Oak



DC516
Marlow Oak



DC517
Hackfall Oak



DC518
Fresh Oak



DC519
York Oak



Achieve this floor

Hackfall Oak
AR0W8790

+

Tempus Restore
Feature Stripping



DC539 & Whinlatter Oak Stripwood


Chantilly Weave

Chantilly Weave is a traditional pattern that draws inspiration from historical parquetry influences, but is still incredibly versatile in its application. Intersecting pieces weave seamlessly to create fantastic movement across a floor.

MODULE SIZE: 457.2 x 457.2 mm

1 Product
EP502

Laying Pattern:



Designers' Choice



DC502
Malvern Oak



DC538
Buxton Oak



DC539
Whinlatter Oak



DC540
Aged Oak



Achieve this floor

Aged Oak
AR0W7710



EP421 Reclaimed Oak

Halcyon Pleat

Celebrate the grain of characterful woods in a simple rustic style. Halcyon Pleat is a large-scale chevron pattern that creates a laid-back flow and an artisan feel.

PLANK SIZE: 131.98 x 914.4 mm

1 Product
EP421

Laying Pattern:



Designers' Choice



DC423
Rotterdam Oak




DC530
Laughton Oak



DC531
Tollymore Oak



DC532
Whinlatter Oak



Achieve this floor

Whinlatter Oak
AR0W8730



DC544, Mitred Plank Border & Polished Silver Feature Stripping

Basket Weave

Proportionally balanced Basket Weave is a fine example of Amtico's precision cutting capabilities, with a decorative layering effect that makes it a design classic.

PLANK SIZES: 76.2 x 304.8 mm
114.3 x 114.3 mm (key)

1 Product
EP101

2 Products
EP104

Laying Pattern:



Designers' Choice



DC101
Parisian Pine



DC331
Sanctuary Grain



DC544
Buxton Oak



DC545
Henley Oak
Chateau Oak (key)



DC546
Yarncliff Oak
Bordeaux Oak (key)



Achieve this floor

Yarncliff Oak
AR0W8800

Bordeaux Oak
AR0W8450



DC549, Kirby Oak Stripwood & Polished Copper Feature Stripping

French Weave

From a foundation of parquetry, we've adapted classic wood floor geometry for modern day use. Both elegant and robust, French Weave is a crafted, woven pattern with the strength and balance for large spaces.

MODULE SIZE: 609.6 x 609.6 mm
1 Product
EP272

Laying Pattern:



Designers' Choice



DC277
Brushed Oak



DC322
Verbier Oak



DC547
Henley Oak



DC548
Trevellas Oak



DC549
Kirby Oak



DC550
Yarncliff Oak



Achieve this floor

Trevellas Oak
AR0W8890



DC552 & Henley Oak Plank Border

Castel Weave

Inspired by the beauty of traditional parquetry, Castel Weave is designed to champion wood grains and textures.

Rich and indulgent, this pattern can feel either rustic or refined, depending on product choice.

TILE SIZES: 304.8 x 457.2 mm
107.7 x 431.0 mm

1 Product
EP263

Laying Pattern:



Designers' Choice



DC266
White Wash Wood



DC317
Farmhouse Oak



DC318
Alpine Oak



DC551
Clowes Oak



DC552
Henley Oak



DC553
Hackfall Oak



Achieve this floor

Clowes Oak
AR0W8650

+

Polished Gold
Feature Stripping



DC558 & Cornish Oak Stripwood

Pleat

Pleat is beautiful in its simplicity. With perfectly precise angles and neatly balanced design, this is a contemporary take on traditional parquet.

PLANK SIZE: 114.3 x 457.2 mm

1 Product
EP126

3 Products
EP127

5 Products
EP129

Laying Pattern:



Designers' Choice



DC126
Cornish Oak



DC554
Friston Oak



DC555
Shottery Limestone
Whitley Stone
Berkswell Stone




DC556
Coombe Stone
Woolwich Concrete
Stucco Nutmeg



DC557
Waterloo Concrete
Encaustic Storm
Diffusion Lux
Diffusion Eve
Diffusion Loam



DC558
Diffusion Malt
Encaustic Okra
Shottery Limestone
Diffusion Aloe
Coombe Stone



Achieve this floor

Coombe Stone
AR0STE49

Woolwich Concrete
AR0SRE31

Stucco Nutmeg
AR0AUC89



DC627

Random Plank

Featuring three different plank sizes, Random Plank cleverly splices single-colour woods to create floors with lovely tonal variety and a real sense of movement.

PLANK SIZES: 76.2 x 914.4 mm
114.3 x 914.4 mm
152.4 x 914.4 mm

1 Product Small
EP515

Laying Pattern:



PLANK SIZES: 76.2 x 914.4 mm
152.4 x 914.4 mm
228.6 x 914.4 mm

1 Product Large
EP525

Laying Pattern:



Designers' Choice



DC626
Darley Oak



DC627
Berwick Oak



DC628
Hamsterley Oak





DC571 & Stucco Pebble Uniform Tile Perimeter


Gatsby Square

Gatsby Square's angular shapes create a bold pattern that can hold its own in large spaces, or beautifully isolate feature areas. This pattern works wonderfully in modern hospitality and retail environments.

MODULE SIZE: 304.8 x 304.8 mm

2 Products Small
EP510


Laying Pattern:



MODULE SIZE: 457.2 x 457.2 mm

2 Products Large
EP511

Laying Pattern:



Designers' Choice

SMALL:



DC510
Deptford Concrete
Diffusion Loam



DC567
Encaustic Kyanite
Diffusion Eve



DC568
Stucco Haze
Stucco Opaline



DC569
Diffusion Husk
Diffusion Cashew



DC570
Onyx Marble
Nero Classic Marble

LARGE:



DC511
Onyx Marble
Grigio Classic Marble



DC571
Encaustic Kyanite
Stucco Pebble



Achieve this floor

Onyx Marble
AR0SOM30

Grigio Classic Marble
AG0SCA37




Large Flagstone

An enduring stone pattern, Flagstone's elegant combination of rectangular and square tiles elevates spaces with its familiar weighty geometries.

TILE SIZES: 152.4 x 152.4 mm
152.4 x 304.8 mm
304.8 x 304.8 mm
152.4 x 457.2 mm
304.8 x 457.2 mm
457.2 x 457.2 mm

1 Product Large with stripping
EP137

Laying Pattern:



DC577

Designers' Choice



DC576
Wilmcote Limestone
Stucco Putty (stripping)



DC577
Modernist Spire
Stria Volcanic (stripping)



DC578
Kura Kala
Exposed Concrete (stripping)



DC579
Kentmere Slate
Stucco Putty (stripping)



Achieve this floor

Kentmere Slate
AROSSL37

+

Stucco Putty
Stripping



DC583, Concrete Pale Divider Strip & Kura Anise Broken Bond Field


Extra Large & Grand Flagstone

Flood a space with Extra Large & Grand Flagstone. By using varied tile sizes in a non-modular repeat, these two large-scale patterns have been designed to flow effortlessly, for a practical solution in large-volume areas.

TILE SIZES: 450.85 x 679.45 mm
450.85 x 450.85 mm
222.25 x 450.85 mm
22.25 x 222.25 mm
6.35 x 914.4 mm (stripping)

1 Product with stripping Extra Large
EP512


Laying Pattern:



TILE SIZES: 603.25 x 908.05 mm
603.25 x 603.25 mm
298.45 x 603.25 mm
298.45 x 298.45 mm
6.35 x 914.4 mm (stripping)

1 Product with stripping Grand
EP513

Laying Pattern:



Designers' Choice

EXTRA LARGE:



DC512
Shottery Limestone
Woolwich Concrete (stripping)



DC580
Whitley Stone
Modernist Frame (stripping)



DC581
Modernist Frame
Diffusion Husk (stripping)

GRAND:



DC513
Berkswell Stone
Stucco Putty (stripping)



DC582
Chatham Concrete
Tyne Concrete (stripping)



DC583
Kura Anise
Concrete Pale (stripping)




Achieve this floor

Modernist Frame
AR0AMN30

+

Diffusion Husk
Stripping




Random Stone

Its ability to throw unbroken lines across a space makes Random Stone sympathetic to a variety of architectural styles. Highly useable, this pattern works hard in shopping centre circulation areas, airports and other vast spaces.

TILE SIZES: 152.4 x 457.2 mm
228.6 x 457.2 mm
304.8 x 457.2 mm

1 Product with stripping
EP179

Laying Pattern:



DC574

Designers' Choice



DC362
Tempus Pause
Modernist Vault (stripping)



DC572
Shottery Limestone
Woolwich Concrete (stripping)



DC573
Coombe Stone
Stria Basalt (stripping)



DC574
Whitley Stone
Berkswell Stone (stripping)



DC575
Kentmere Slate
Stucco Putty (stripping)





DC593 & Nero Classic Marble Uniform Tile


Key Stone Small

Unashamedly influenced by Victorian style, Key Stone is an iconic pattern that delivers timeless elegance and classic geometry.

TILE SIZES: 304.8 x 304.8 mm
63.5 x 63.5 mm (key)

2 Products Small
EP514

Laying Pattern:



Designers' Choice




DC514
Shottery Limestone
Sloane Concrete (key)



DC593
Bianca Classic Marble
Nero Classic Marble (key)



DC594
Waterloo Concrete
Diffusion Aloe (key)



Achieve this floor

Waterloo Concrete
AR0SSC10


Diffusion Aloe
AR0ADF88

+ Field

Yarncliff Oak
AR0W8800
Stripwood

+

Diffusion Aloe
Feature Stripping



DC592, Woolwich Concrete Perimeter, Encaustic Storm Feature Stripping & Hamsterley Oak Stripwood

Key Stone Mini


At a smaller scale, Key Stone Mini still retains the essence of a classic ceramic floor, whilst making bolder statements through heritage colour palettes or contemporary colour combinations.

TILE SIZES: 152.4 x 152.4 mm
50.8 x 50.8 mm (key)

2 Products
EP305

3 Products
EP309

Laying Pattern:



Designers' Choice



DC587
Onyx Marble
Tempus Embrace (key)



DC588
Nero Classic Marble
Onyx Marble (key)



DC589
Waterloo Concrete
Stucco Haze (key)



DC590
Stucco Quartz
Stucco Flax (key)



DC591
Diffusion Husk
Stucco Mist
Stucco Roselle (key)



DC592
Woolwich Concrete
Tyne Concrete
Encaustic Storm (key)





DC598 & Hamsterley Oak Stripwood

Check

Check is a timeless pattern that works brilliantly across any space. Choose classic monochrome or opt for a bolder, brighter ceramic feel with our fresh new colour combinations.

TILE SIZES: 152.4 x 152.4 mm

2 Products
EP299

3 Products
EP303

Laying Pattern:



Designers' Choice



DC595
Sloane Concrete
Packwood Stone




DC596
Diffusion Loam
Waterloo Concrete



DC597
Diffusion Chambray
Stucco Opaline
Stucco Haze



DC598
Encaustic Okra
Stucco Opaline
Diffusion Aloe



Achieve this floor

Diffusion Loam
AR0ADF04

Waterloo Concrete
AR0SSC10

+ Field

Berwick Oak
AR0W8850
Stripwood

+

Polished Gold
Feature Stripping



Frame


Modern and architectural, Frame is a contemporary take on a familiar flagstone. This balanced mid-scale pattern offers new opportunities for designing big spaces.

MODULE SIZES: 609.6 x 914.4 mm (module)
201.4 x 455.4 mm (tile)
404.6 x 914.4 mm (tile)
3.2 x 914.4 mm (stripping)

1 Product with stripping
EP405

3 Products with stripping
EP407

Laying Pattern:



DC584

Designers' Choice



DC407
Tempus Soothe
Tempus Harmony
Tempus Embrace
Tempus Soothe (stripping)



DC584
Nero Classic Marble
Cirrus Air (stripping)



DC585
Woolwich Concrete
Stria Basalt (stripping)



DC586
Chatham Concrete
Tyne Concrete
Deptford Concrete
Modernist Frame (stripping)





DC600, Kirby Oak Field & Stucco Putty Feature Stripping


Polygon Key Mini

A bold geometric pattern with a strong ceramic aesthetic, Polygon Key Mini has been designed to designate beautiful focal points and feature areas.

TILE SIZES: 114.3 x 228.6 mm
80.77 x 80.77 mm

3 Products
EP461

Laying Pattern:



Designers' Choice



DC599
Stucco Nutmeg
Diffusion Husk (key)
Coombe Stone



DC600
Berkswell Stone
Stucco Putty (key)
Stria Rock



DC601
Diffusion Chambray
Diffusion Lux (key)
Shottery Limestone



DC602
Grigio Classic Marble
Rosa Classic Marble (key)
Bianca Classic Marble



Achieve this floor

Diffusion Chambray
AR0ADF39

Diffusion Lux
AR0ADF38

Shottery Limestone
AR0SLK15

+

Diffusion Chambray
Feature Stripping




DC563 & Onyx Marble Uniform Tile Field

Lune

Achieve bold and beautiful zoning solutions with the circular geometries of Lune. Available in a selection of neutral and contemporary stone combinations, Lune is designed to work as a feature area amongst a field of complementary stone, to create chic areas of interest.


MODULE SIZE: 228.6 x 228.6 mm
2 Products Small
EP506

Laying Pattern:



MODULE SIZE: 457.2 x 457.2 mm
2 Products Large
EP507

Laying Pattern:



Designers' Choice

SMALL:



DC506
Bianca Classic Marble
Nero Classic Marble



DC559
Waterloo Concrete
Stucco Haze



DC560
Stucco Flax
Stucco Haze



DC561
Stucco Clay
Diffusion Cashew



DC562
Diffusion Lux
Stucco Opaline

LARGE:



DC507
Bianca Classic Marble
Verde Classic Marble



DC563
Grigio Classic Marble
Onyx Marble



Achieve this floor

Waterloo Concrete
AR0SSC10

Stucco Haze
AR0AUC40



DC509 & Tempus Embrace Uniform Block Field


Arc

Rows of oscillating semi-circles create a fantastic pattern that's full of life and movement. This on-trend pattern provides a perfect solution for zoning or wayfinding.

MODULE SIZE: 152.4 x 304.8 mm

3 Products Small
EP508


Laying Pattern:



MODULE SIZE: 304.8 x 609.6 mm

3 Products Large
EP509

Laying Pattern:



Designers' Choice

SMALL:



DC508
Tempus Harmony
Waterloo Concrete
Tempus Embrace



DC564
Onyx Marble
Tempus Embrace
Tempus Soothe



DC565
Diffusion Chambray
Diffusion Lux
Stucco Opaline

LARGE:



DC509
Tempus Soothe
Tempus Embrace
Tempus Pause



DC566
Grigio Classic Marble
Onyx Marble
Nero Classic Marble



Achieve this floor

Onyx Marble
AR0SOM30

Tempus Embrace
AR0STE30

Tempus Soothe
AR0STE31

Create your Signature style



Tortora Classic Marble Broken Bond & Bianca Marble Stripping

Choose from our unrivalled range of designs to create your Signature style.

Pick any of our standard planks and tiles in one colour and size to create simple elegance, or use imaginative combinations of colours and sizes to create floors that deliver real impact.


These are just a few examples, discover more at:
amtico.com/commercial/layingpatterns



Herringbone Tile



Stripwood



Broken Bond



Uniform Tile



Uniform Block



Deckblock



Tay Oak - Stripwood

Projects

Lee & Thompson



Location: Fitzrovia, UK
Sector: Office
Products & Laying Patterns:
Basilica Salt, Kura Opium & Kura Caraway - Key Stone Mini EP309
Brushed Oak - French Weave DC277





Laufsteg



Location: Augsburg, Germany
Sector: Retail
Products & Laying Patterns:
Stucco Clay, Stucco Putty & Stucco Quartz - Bespoke
Tempus Soothe & Stucco Pebble - Key Stone Small EP514







Ramside Hall Hotel

Location: Durham, UK
Sector: Hospitality & Leisure
Products & Laying Patterns:
Reclaimed Oak - Castel Weave
EP263







Collaborative Space, Ávoris Headquarters

Location: Palma de Mallorca, Spain
Sector: Office
Products & Laying Patterns:
Stucco Indigo, Stucco Clay,
Modernist Vault & Stucco
Quartz - Bespoke
Tempus Soothe - Stripwood



Image credits: CMV architects
Photographer: Juan Giribe

Bespoke

Begin with your imagination

Bold, creative and beautiful – a bespoke floor is the ultimate design statement. Thanks to our advanced manufacturing capabilities, our R&D and Design teams can work from a simple sketch, a colour swatch or even a sample material to transform your unique vision into reality.





Laurent Sailla

The French artist Laurent Sailla recently collaborated with us at EquipHotel.

The artist allowed our design department to create some of his work, using our custom cutting techniques and versatile colour palettes to illustrate our extraordinary high-performance flooring; versatile enough to transform any space.






Image credit: Laurent Sailla

Napoli
AR0ACF75

Sevilla
AR0ACF64

Marrakech
AR0ACF51

Paris
AR0ACF92

Dublin
AR0ACF83

Black

White





Photographer: Michail Damaskos







How we turn your ideas into reality

Whether you're looking for a unique product or a completely bespoke floor design, bring us your creative inspiration and we will work with you to achieve your vision.

Our CAD Team

Amtico's highly-skilled CAD team turn your product selection and layout into something our design and manufacturing experts can make a reality. Designs change and grow as we work with them, so the drawing approval process is collaborative, expertly managed through your Amtico Commercial Project Specialist, ensuring that the final floor meets your unique design vision.

Cutting

Amtico is renowned for its advanced finishing techniques. Over 50 years of manufacturing expertise means we can add the fine detail to your big ideas, creating bespoke shapes and products that no-one else can.

Installation

Our quality team test lays every bespoke design floor in our UK factory before shipping, to check for accuracy.

This crucial part of the process means you can rely on Amtico flooring to fit first time and meet your project deadlines, even with the most intricate design.

Find out more at: **amtico.com/commercial/bespoke**

Stripping

Add contrast, create a grout effect or define tile and plank shapes with Amtico feature stripping. Available in a choice of five sizes.

Feature stripping is available in the following sizes, 2 mm thickness*

Dark Walnut
AR0W7700

Woolwich Concrete
AR0SRE31

Cirrus Air
AR0W8100

Stucco Putty
AR0AUC30

Stria Volcanic
AR0SMS42

Deptford Concrete
AR0SRE29

Polished Silver**
AR0APL32

Pure Plain Black
AR0APN22

Ashdown Oak
AR0W8680

Wild Walnut
AR0W7620

Mirabelle Creme
AR0SMB14

Stria Basalt
AR0SMS43

Concrete Pale
AR0SCN30

Modernist Frame
AR0AMN30

Polished Copper**
AR0APL45

Polished Gold**
AR0APL78

*Sizes shown are not actual size.
** Straight Grain only
Acoustic backing is not available on stripping

19.1 mm x 914.4 mm

12.7 mm x 914.4 mm

9.5 mm x 914.4 mm

6.4 mm x 914.4 mm

3.2 mm x 914.4 mm

This is a small representation of available feature stripping, for full stripping availability please visit **amtico.com/commercial/stripping**



DC526

Borders

Simple or elaborate, Art Deco or Gothic, define a floor with an Amtico border.



Square
Border AR0B6200
25.4 mm x 889.0 mm
Corner AR0C62S0



Piping
Border AR0B6400
12.7 mm x 914.4 mm



Offset Stripe
Border AR0B7000
38.1 mm x 914.4 mm



Metro
Border AR0B6600
57.2 mm x 914.4 mm



Broad Stripe
Border AR0B6500
50.8 mm x 914.4 mm
Corner AR0C65S0



Gothic Arch
Border AR0B670B
101.6 mm x 914.4 mm
Corner AR0C67SB



Bevelled Diamond
Border AR0B270B
76.2 mm x 914.4 mm
Corner AR0C27SB



Pyramid
Border AR0B6000
50.8 mm x 914.4 mm
Corner AR0C60S0



Deco Pleat
Border AR0B680B
88.9 mm x 914.4 mm
Corner AR0C68SB



Mondrian
Border AR0B7400
76.2 mm x 914.4 mm
Corner AR0C74A0



Art Deco
Border AR0B5100
88.9 mm x 914.4 mm
Corner AR0C51S0



Pinstripe Fine
Border AR0B4001
88.9 mm x 914.4 mm
Corner AR0C4001



Pinstripe Medium
Border AR0B4002
88.9 mm x 914.4 mm
Corner AR0C4002



Pinstripe Bold
Border AR0B4000
88.9 mm x 914.4 mm
Corner AR0C4001

For our full range of borders please visit **amtico.com/commercial/borders**
Sizes shown are not actual size.

Motifs

Bring a focal point and individuality to a space with a Signature motif.



Small Star
AR0MC300
Products Shown:
Chiltern Oak
Wilverley Oak
Wharf Oak
Tempus Restore
Diameter
609.6 mm



Apollo
AR0MC230
Products Shown:
Onyx Marble
Grigio Classic Marble
Diameter
889.0 mm



Constellation
AR0MC210
Products Shown:
Clowes Oak
Wharncliffe Oak
Diameter
889.0 mm



Lotus
AR0MC400
Products Shown:
Cornish Oak
Rotterdam Oak
Fumed Oak
Brushed Oak
Diameter
914.4 mm



Octavia Large
AR0MC600
Products Shown:
Onyx Marble
Stucco Pebble
Graphite Slate
Diameter
1676.4 mm

Also Available as:
Octavia Small
AR0MC500
Products Shown:
Onyx Marble
Stucco Pebble
Graphite Slate
Diameter
838.2 mm

For our full range of motifs please visit **amtico.com/commercial/motifs**
Sizes shown are not actual size.



DC501

Making flooring fit for the future

amtico bio

Specify Amtico Bio

Now available across the Signature collection, Amtico Bio is our first bio-attributed LVT flooring. Using sustainable PVC that produces over 90% less CO_2 during its manufacture, Amtico Bio offers the same performance and finish with a reduced carbon footprint.

We use carefully selected and audited sources of biomass to create the renewable ethylene that goes into our bio-attributed PVC. This includes by-products such as Crude Tall Oil (CTO) from trees and Used Cooking Oil (UCO).

Available to specify with 61% bio-attributed content on all standard planks and tiles.*

SPECIFY AMTICO BIO FOR A LOWER CARBON FOOTPRINT

* Signature 36+ has 61% bio-attributed content, Signature Acoustic has 59% bio-attributed content.

36+ slip resistant planks and tiles


Safety flooring with design sophistication

UK manufactured with the same extraordinary design philosophy that defines Amtico Signature, Signature 36+ delivers sustainable slip resistance and meets the requirements of the enhanced slip standard, but with the enhanced design possibilities of LVT planks and tiles.

For more information please visit
amtico.com/safety-flooring

36+

Please note that the surface texture on Signature 36+ products differs from standard Signature products due to the inclusion of slip-resistant particles.



Halo Pine - Large Parquet

PLANKS AND TILES

WET PENDULUM ≥36

PARQUET

ANTIMICROBIAL

18dB

SOUND REDUCTION

The closed cell 1 mm foam layer reduces impact sound transmission by up to 18 dB.

LOW FATIGUE

The closed cell foam structure can help increase comfort and reduce fatigue in high-traffic areas.

What silence looks like

Amtico Acoustic enhances the acoustic properties of LVT by reducing impact sound transmission by up to 18dB and also provides an extra level of comfort underfoot. Amtico Acoustic brings another layer of performance and versatility to the design, quality and durability you expect from Amtico.

AMTICO ACOUSTIC



Union Oak - Stripwood


Antimicrobial Protection

Amtico Signature products are specified as standard with integral antimicrobial protection.

We add an ionic silver additive to the urethane coating that provides a hygienic surface where bacteria cannot multiply or survive.

Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces.

Under independent tests this active ingredient has been proven to reduce bacteria growth by 99% over 24 hours when compared with standard product of a similar type and construction. All our antimicrobial flooring achieves the same levels of high performance against sunlight, scuffs and stains and heavy traffic that you expect from any Amtico floor.



Independently verified against E.Coli and MRSA, to ISO 22196, showing a reduction of >99.9% after 24hrs. Also tested against SARS-CoV-2, to ISO 21702, showing an 85.5% reduction against an untreated control and a reduction of >99.9% against the initial inoculation after 24hrs.



Tempus Echo, Tempus Pause & Modernist Frame Stripping - Bespoke

Product Availability / Wood

Size & Specification

Product Name	Product code	Surface Textures	Price Point	Straight Grain Tiles									Straight Grain Planks					Cross Grain			Design Options				
				152.4 x 457.2 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.3 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design	Borders and Motifs
Aged Oak	AR0W7710	Barnwood	Standard									•	•	•	•	•				•	•	•	•	•
Alpine Oak	AR0W8330	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
American Oak	AR0W7050	Tick	Standard									•	•	•	•					•	•	•	•	•
Antique Wood	AR0W7190	Tick	Standard									•	•	•						•	•	•	•	•
Ashdown Oak	AR0W8680	Natural Wood	Standard									•	•	•	•					•	•	•	•	•
Aspen Oak	AR0W8310	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Berwick Oak	AR0W8850	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Blonde Oak	AR0W7460	Tick	Standard									•	•	•						•	•	•	•	•
Bordeaux Oak	AR0W8450	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Brushed Oak	AR0W7910	Barnwood	Standard									•	•	•	•	•				•	•	•	•	•
Buckingham Oak	AR0W8880	Natural Wood	Standard										•	•	•	•				•	•	•	•	•
Buxton Oak	AR0W8660	Natural Wood	Standard									•	•	•	•					•	•	•	•	•
Chargot Oak	AR0W8720	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Chateau Oak	AR0W7980	Tick	Standard										•	•	•	•				•	•	•	•	•
Chiltern Oak	AR0W8630	Natural Wood	Standard									•	•	•	•					•	•	•	•	•
Classic Oak	AR0W7430	Tick	Standard									•	•	•						•	•	•	•	•
Classic Walnut	AR0W7610	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Clowes Oak	AR0W8650	Natural Wood	Standard									•	•	•	•					•	•	•	•	•
Cornish Oak	AR0W8150	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Dark Walnut	AR0W7700	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Darley Oak	AR0W8710	Natural Wood	Standard									•	•	•	•					•	•	•	•	•
Dockland Oak	AR0W8350	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Dry Teak	AR0W7810	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Farmhouse Oak	AR0W7630	Tick	Standard									•	•	•	•	•				•	•	•	•	•
French Oak	AR0W7830	Barnwood	Standard									•	•	•	•	•				•	•	•	•	•
Fresh Oak	AR0W7440	Tick	Standard									•	•	•						•	•	•	•	•
Friston Oak	AR0W8750	Rustic Wood	Standard										•	•	•	•				•	•	•	•	•
Fumed Oak	AR0W7900	Barnwood	Standard									•	•	•	•	•				•	•	•	•	•
Fused Birch	AR0W7500	Tick	Standard		•		•					•	•	•	•	•	•	•	•	•	•	•	•	•
Golden Oak	AR0W7510	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Grizedale Oak	AR0W8830	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Hackfall Oak	AR0W8790	Rustic Wood	Standard										•	•	•	•				•	•	•	•	•
Halo Pine	AR0W8250	Natural Wood	Standard									•	•	•	•	•				•	•	•	•	•
Hamsterley Oak	AR0W8770	Rustic Wood	Standard										•	•	•	•				•	•	•	•	•
Harbour Pine	AR0W7990	Barnwood	Standard									•	•	•	•	•				•	•	•	•	•
Henley Oak	AR0W8740	Rustic Wood	Standard										•	•	•	•				•	•	•	•	•
Kirby Oak	AR0W8780	Rustic Wood	Standard										•	•	•	•				•	•	•	•	•
Laughton Oak	AR0W8810	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•

Product Availability / Wood

Size & Specification

Product Name	Product code	Surface Textures	Price Point	Straight Grain Tiles									Straight Grain Planks					Cross Grain			Design Options				
				152.4 x 457.2 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.3 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design	Borders and Motifs
Light Cherry	AR0W7060	Tick	Standard									•	•	•						•	•	•	•	•
Lime Washed Wood	AR0W7660	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Lock Oak	AR0W8360	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Malvern Oak	AR0W8670	Natural Wood	Standard									•	•	•	•					•	•	•	•	•
Manor Oak	AR0W7970	Tick	Standard										•	•	•	•				•	•	•	•	•
Marlow Oak	AR0W8690	Natural Wood	Standard									•	•	•	•					•	•	•	•	•
Merbau	AR0W7590	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Natural Limed Wood	AR0W7690	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Nomad Oak	AR0W8140	Barnwood	Standard									•	•	•	•	•				•	•	•	•	•
Parisian Pine	AR0W7860	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Pearl Wash Wood	AR0W8220	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Priory Oak	AR0W7200	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Reclaimed Oak	AR0W7870	Barnwood	Standard									•	•	•	•	•				•	•	•	•	•
Regency Walnut	AR0W8200	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Rosewood	AR0W7070	Tick	Standard									•	•	•						•	•	•	•	•
Rotterdam Oak	AR0W8440	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Salted Oak	AR0W8210	Barnwood	Standard									•	•	•	•	•				•	•	•	•	•
Sanctuary Grain	AR0W8270	Natural Wood	Standard									•	•	•	•	•				•	•	•	•	•
Shore Oak	AR0W8180	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Solar Pine	AR0W8240	Natural Wood	Standard									•	•	•	•	•				•	•	•	•	•
Tay Oak	AR0W8900	Natural Wood	Standard									•	•	•	•	•				•	•	•	•	•
Teak	AR0W6990	Tick	Standard									•	•	•	•					•	•	•	•	•
Tollymore Oak	AR0W8760	Rustic Wood	Standard										•	•	•	•				•	•	•	•	•
Toulouse Oak	AR0W8430	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Trevellas Oak	AR0W8890	Natural Wood	Standard										•	•	•	•				•	•	•	•	•
Union Oak	AR0W8370	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Verbier Oak	AR0W8320	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Versailles Oak	AR0W8460	Rustic Wood	Standard									•	•	•	•	•				•	•	•	•	•
Wharf Oak	AR0W8190	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Wharncliffe Oak	AR0W8640	Natural Wood	Standard									•	•	•	•	•				•	•	•	•	•
Whinlatter Oak	AR0W8730	Rustic Wood	Standard										•	•	•	•				•	•	•	•	•
White Oak	AR0W7520	Tick	Standard									•	•	•	•	•				•	•	•	•	•
White Wash Wood	AR0W7680	Tick	Standard									•	•	•	•	•				•	•	•	•	•
Wild Walnut	AR0W7620	Tick	Standard									•	•	•	•					•	•	•	•	•
Wilverley Oak	AR0W8870	Natural Wood	Standard										•	•	•	•				•	•	•	•	•
Worn Oak	AR0W7390	Tick	Standard									•	•	•	•					•	•	•	•	•
Yarncliff Oak	AR0W8800	Rustic Wood	Standard										•	•	•	•				•	•	•	•	•
York Oak	AR0W8160	Tick	Standard									•	•	•	•	•				•	•	•	•	•

Product Availability / Stone

Size & Specification

Product Name	Product code	Surface Textures	Price Point	Straight Grain Tiles: 152 x 457 mm (6 x 18")	305 x 305 mm (12 x 12")	305 x 457 mm (12 x 18")	457 x 457 mm (18 x 18")	305 x 610 mm (12 x 24")	457 x 914 mm (18 x 36")	610 x 914 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	Straight Grain Planks: 76 x 914 mm (3 x 36")	114 x 914 mm (4.5 x 36")	152 x 914 mm (6 x 36")	184 x 1219 mm (7.25 x 48")	229 x 1219 mm (9 x 48")	Cross Grain: 304.8 x 457.2 mm (12 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Design Options: Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design	Borders and Motifs
Basilica Salt	AR0SBS12	Ceramic	Standard	•	•	•	•	•	•	•	•													•	•	•	•	•
Basilica Shell	AR0SBS41	Ceramic	Standard	•	•	•	•	•	•	•	•													•	•	•	•	•
Berkswell Stone	AR0SMA32	Ceramic	Standard			•		•	•		•												•	•	•	•	•	•
Bianca Classic Marble	AR0SOM10	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•										•	•	•	•	•
Blockley Stone	AR0SMA31	Ceramic	Standard			•		•	•		•												•	•	•	•	•	•
Chatham Concrete	AR0SRE33	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•										•	•	•	•	•
Coombe Stone	AR0STE49	Ceramic	Standard	•	•	•	•	•	•					•										•	•	•	•	•
Crema Marfil	AR0SMF47	Ceramic	Standard	•	•	•	•	•	•	•														•	•	•	•	•
Cumbrian Slate	AR0SSL32	Ceramic	Standard	•	•	•	•		•								•	•	•	•				•	•	•	•	•
Deptford Concrete	AR0SRE29	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•										•	•	•	•	•
Exposed Concrete	AR0SEC30	Ceramic	Standard	•	•	•	•	•	•	•	•			•										•	•	•	•	•
Graphite Slate	AR0SSL23	Ceramic	Standard	•	•	•	•		•			•	•	•			•	•	•	•	•	•	•	•	•	•	•	•
Grigio Classic Marble	AR0SCA37	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•										•	•	•	•	•
Honed Limestone Natural	AR0SLH11	Ceramic	Standard	•	•	•	•	•																				
Ilmington Stone	AR0SSC01	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•										•	•	•	•	•
Kentmere Slate	AR0SSL37	Riven Marble	Standard	•	•	•	•	•	•	•														•	•	•	•	•
Kura Anise	AR0SKU39	Ceramic	Standard	•	•	•	•	•	•	•	•			•		•								•	•	•	•	•
Kura Caraway	AR0SKU38	Ceramic	Standard	•	•	•	•	•	•	•	•			•		•								•	•	•	•	•
Kura Kala	AR0SKU31	Ceramic	Standard	•	•	•	•	•	•	•	•			•		•								•	•	•	•	•
Kura Opium	AR0SKU49	Ceramic	Standard	•	•	•	•	•	•	•	•			•		•								•	•	•	•	•
Mirabelle Creme	AR0SMB14	Ceramic	Standard	•	•	•	•	•	•	•	•			•		•								•	•	•	•	•
Nero Classic Marble	AR0SCA20	Ceramic	Standard	•	•	•	•	•	•	•			•	•										•	•	•	•	•
Onyx Marble	AR0SOM30	Ceramic	Standard	•	•	•	•	•				•		•										•	•	•	•	•
Packwood Stone	AR0SSC12	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•										•	•	•	•	•
Ratley Stone	AR0SMA37	Ceramic	Standard			•		•	•		•												•	•	•	•	•	•
Riverstone Tundra	AR0SRS40	Ceramic	Standard		•	•	•	•	•					•			•		•				•	•	•	•	•	•
Rosa Classic Marble	AR0SCA53	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•										•	•	•	•	•
Shottery Limestone	AR0SLK15	Ceramic	Standard	•	•	•	•	•	•	•	•			•										•	•	•	•	•
Sloane Concrete	AR0SSC37	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•										•	•	•	•	•
Stria Ash	AR0SMS13	Ceramic	Standard	•	•	•	•	•	•	•	•			•		•	•		•				•	•	•	•	•	•
Stria Basalt	AR0SMS43	Ceramic	Standard	•	•	•	•	•	•	•	•			•		•	•		•				•	•	•	•	•	•
Stria Rock	AR0SMS33	Ceramic	Standard	•	•	•	•	•	•	•	•			•		•	•		•				•	•	•	•	•	•
Stria Sediment	AR0SMS14	Ceramic	Standard	•	•	•	•	•	•	•	•			•		•	•		•				•	•	•	•	•	•
Stria Volcanic	AR0SMS42	Ceramic	Standard	•	•	•	•	•	•	•	•			•		•	•		•				•	•	•	•	•	•
Tempus Echo	AR0STE13	Ceramic	Standard	•	•	•	•	•	•			•	•	•			•		•		•	•	•	•	•	•	•	•
Tempus Embrace	AR0STE30	Ceramic	Standard	•	•	•	•	•	•			•	•	•			•		•		•	•	•	•	•	•	•	•
Tempus Harmony	AR0STE41	Ceramic	Standard	•	•	•	•	•	•			•	•	•			•		•		•	•	•	•	•	•	•	•
Tempus Pause	AR0STE37	Ceramic	Standard	•	•	•	•	•	•			•	•	•			•		•		•	•	•	•	•	•	•	•

Product Availability / Stone

Size & Specification

Product Name	Product code	Surface Textures	Price Point	Straight Grain Tiles: 152 x 457 mm (6 x 18")	305 x 305 mm (12 x 12")	305 x 457 mm (12 x 18")	457 x 457 mm (18 x 18")	305 x 610 mm (12 x 24")	457 x 914 mm (18 x 36")	610 x 914 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	Straight Grain Planks: 76 x 914 mm (3 x 36")	114 x 914 mm (4.5 x 36")	152 x 914 mm (6 x 36")	184 x 1219 mm (7.25 x 48")	229 x 1219 mm (9 x 48")	Cross Grain: 304.8 x 457.2 mm (12 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Design Options: Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design	Borders and Motifs
Tempus Restore	AR0STE29	Ceramic	Standard	•	•	•	•	•	•			•	•	•			•		•		•	•	•	•	•	•	•	•
Tempus Soothe	AR0STE31	Ceramic	Standard	•	•	•	•	•	•			•	•	•			•		•		•	•	•	•	•	•	•	•
Tortora Classic Marble	AR0SCA44	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•										•	•	•	•	•
Tyne Concrete	AR0SRE30	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•										•	•	•	•	•
Verde Classic Marble	AR0SCA87	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•										•	•	•	•	•
Waterloo Concrete	AR0SSC10	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•										•	•	•	•	•
Whitley Stone	AR0SMA36	Ceramic	Standard			•		•	•		•													•	•	•	•	•
Wilmcote Limestone	AR0SLS44	Ceramic	Standard	•	•	•	•	•	•		•													•	•	•	•	•
Woolwich Concrete	AR0SRE31	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•										•	•	•	•	•
Worn Concrete	AR0STL39	Ceramic	Standard		•	•	•	•	•	•														•	•	•	•	•

Product Availability / Colour & Abstract

Size & Specification

				Straight Grain Tiles									Straight Grain Planks						Cross Grain			Design Options				
Product Name	**Product code**	**Surface Textures**	**Price Point**	152 x 457 mm (6 x 18")	305 x 305 mm (12 x 12")	305 x 457 mm (12 x 18")	457 x 457 mm (18 x 18")	305 x 610 mm (12 x 24")	457 x 914 mm (18 x 36")	610 x 914 mm (24 x 36")	914 x 914.4 mm (36 x 36")	76 x 914 mm (3 x 36")	114 x 914 mm (4.5 x 36")	152 x 914 mm (6 x 36")	184 x 1219 mm (7.25 x 48")	229 x 1219 mm (9 x 48")	304.8 x 457.2 mm (12 x 18")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design	Borders and Motifs
Black Burnished Metal	AR0ARH29	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•						•	•	•	•	•
Diffusion Aloe	AR0ADF88	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Diffusion Cashew	AR0ADF41	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Diffusion Chambray	AR0ADF39	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Diffusion Eve	AR0ADF54	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Diffusion Husk	AR0ADF27	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Diffusion Loam	AR0ADF04	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Diffusion Lux	AR0ADF38	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Diffusion Malt	AR0ADF44	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Dublin	AR0ACF83	Ceramic	Advanced	•	•	•	•	•	•											•	•	•	•	•
Encaustic Jasper	AR0AEN45	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Encaustic Kyanite	AR0AEN83	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Encaustic Okra	AR0AEN18	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Encaustic Storm	AR0AEN98	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Glint Orb	AR0AGG11	Ceramic	Advanced	•	•	•	•	•	•					•						•	•	•	•	•
Glint Void	AR0AGG22	Ceramic	Advanced	•	•	•	•	•	•					•						•	•	•	•	•
Grey Burnished Metal	AR0ARH13	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•						•	•	•	•	•
Helsinki	AR0ACF90	Ceramic	Advanced	•	•	•	•	•	•			•	•	•						•	•	•	•	•
Marrakech	AR0ACF51	Ceramic	Advanced	•	•	•	•	•	•			•	•	•						•	•	•	•	•
Modernist Frame	AR0AMN30	Ceramic	Standard	•	•	•	•	•	•					•						•	•	•	•	•
Modernist Spire	AR0AMN38	Ceramic	Standard	•	•	•	•	•	•					•						•	•	•	•	•
Modernist Vault	AR0AMN13	Ceramic	Standard	•	•	•	•	•	•					•						•	•	•	•	•
Napoli	AR0ACF75	Ceramic	Advanced	•	•	•	•	•	•			•	•	•						•	•	•	•	•
Paris	AR0ACF92	Ceramic	Advanced	•	•	•	•	•	•			•	•	•						•	•	•	•	•
Rio	AR0ACF56	Ceramic	Advanced	•	•	•	•	•	•			•	•	•						•	•	•	•	•
Russet Burnished Metal	AR0ARH44	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•						•	•	•	•	•
Sevilla	AR0ACF64	Ceramic	Advanced	•	•	•	•	•	•			•	•	•						•	•	•	•	•
Stucco Clay	AR0AUC47	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Elk	AR0AUC32	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Flax	AR0AUC39	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Haze	AR0AUC40	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Huckleberry	AR0AUC92	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Indigo	AR0AUC91	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Mist	AR0AUC93	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Nutmeg	AR0AUC89	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Opaline	AR0AUC88	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Pebble	AR0AUC38	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Putty	AR0AUC30	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•

Product Availability / Colour & Abstract

Size & Specification

				Straight Grain Tiles								Straight Grain Planks							Cross Grain		Design Options				
Product Name	**Product code**	**Surface Textures**	**Price Point**	152 x 457 mm (6 x 18")	305 x 305 mm (12 x 12")	305 x 457 mm (12 x 18")	457 x 457 mm (18 x 18")	305 x 610 mm (12 x 24")	457 x 914 mm (18 x 36")	610 x 914 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76 x 914 mm (3 x 36")	114 x 914 mm (4.5 x 36")	152 x 914 mm (6 x 36")	184 x 1219 mm (7.25 x 48")	229 x 1219 mm (9 x 48")	304.8 x 457.2 mm (12 x 18")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design	Borders and Motifs
Stucco Quartz	AR0AUC15	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Stucco Roselle	AR0AUC51	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•						•	•	•	•	•
Trace Kaolin	AR0W8390	Barnwood	Standard	•		•							•	•	•	•	•	•	•	•	•	•	•	•
Trace Scree	AR0W8400	Barnwood	Standard	•		•							•	•	•	•	•	•	•	•	•	•	•	•
Verdigris Burnished Metal	AR0ARH33	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•						•	•	•	•	•

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality - design, manufacturing, product and service.

M1	Amtico Signature has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.	UPEC 4 3 2 2	Amtico Signature products have been UPEC classified, therefore conforming to local French legislation.	UKCA	The UKCA mark is a confirmation by Amtico that our products meet the UK Regulations as defined in the relevant Statutory Instruments (SIs).
FEB	Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.	CE	The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).	ORTHO-PHTHALATE FREE	Amtico Signature products are manufactured using both ortho-phthalate-free and bio-based plasticisers.
LRQA CERTIFIED ISO 9001 UKAS	Our quality system complies with BS EN ISO 9001 and is certified by LRQA.	DGNB	Amtico Signature products have been UPEC classified, therefore conforming to local French legislation.	INDOOR AIR COMFORT GOLD CERTIFIED PRODUCT	Amtico Signature complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.
PVC Next	SOL PVC Pro is the French professional organisation of PVC flooring manufacturers; standing for their shared values and commitments related to environment, comfort, regulation and communication. Amtico International partenaire de Sols Pvc PRO	BSI ISO 14001:2015 Environmental Management	Amtico products comply with BSI ISO 14001 environmental standards		

amtico flooring

Amtico UK & European Sales
Solar Park Southside
Walnut West Midlands
DY6 7EU, UK
+44 (0) 121 746 0800
sampleline@amtico.com

Quote Sales (Spanish & English language)
+44 (0) 121 746 0555
Sales.southeuropeanteam@amtico.com
Samples.info@amtico.de

Amtico Head Office
Kingfield Road
Coventry
CV6 5AA, UK
+44 (0) 24 7686 8470
sampleline@amtico.com

Amtico International Germany
Im Taubental 11
41468 Neuss, Germany
+49 (0) 2131 559 18 0
info@amtico.de

Amtico International France
20 Avenue Hoche
75008 Paris, France
+33 (0) 1 56 69 66 79
info@amtico.fr

Amtico International Scandinavia
c/o Gatagatan 114
703 21 Örebro
Sweden
+46 (0) 8 594 220 24
info@amtico.se

Amtico International Asia
Room 2105
9/F, offices Plus @ Wan Chai
303 Hennessy Road, HK
+852 2511 7700
samples@amtico.com

Amtico International Middle East, Africa & India
6th Floor
Building Number 2
DAFZA, Dubai, UAE
+971 (0) 50 150 22 48
samples@amtico.com

Amtico International Pty Ltd Australia & New Zealand
Unit 1, 40 Mill Street
Homebush 4127
Australia
australia.customerservices@amtico.com

amtico.com

Visit amtico.com for more information on our product range, training days, maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure, however printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All fabric sizes are rounded. All products are manufactured in line with EN 651:1999 and EN 685: Brochure correct at the time of printing.

amtico
flooring